

Bid Packet: 2016 Transit Bus Acquisition Programment ID# MPO 16 01P2

Procurement ID#: MPO 16-01B2

BID INCLUDES THE PURCHASE OF <u>UP TO</u>:

• Four body-on-chassis, 24 passenger, lift-equipped wheelchair accessible transit buses *and* options to purchase four additional, identical buses over four years.

TOTAL AWARD WILL BE DEPENDENT UPON AVAILABLE FUNDING AND PRICE

Table of Contents

Advertisement for Bids	3
Part I: Standard Instructions to Bidders and Proposal Organization	
Part II: Technical Specifications	12
Part III: Required Submittal Documents, Certifications, and Forms	33
Bidder Checklist - Index of Required Documents & Certifications	34
Part IV: Protest Procedures	69
Exhibit A – Paint Scheme	72
Exhibit B – Seating Configuration	73

Advertisement for Bids

FOR
2016 TRANSIT BUS ACQUISITION
(Project # MPO 16-01B2)
FOR
CITY OF CASPER
CASPER, WYOMING
(Approved by City Attorney, 1995)

Notice is hereby given, pursuant to Wyoming Statute Section 15-1-113, that the City of Casper, Wyoming, will receive bids at the Casper Area Metropolitan Planning Organization until 3:00 P.M. Local Time, April 8, 2016 for the following:

• Four (4) body-on-chassis, 24 passenger, lift-equipped transit buses

Options to purchase four additional, identical vehicles over four years based on the following Producer Price Index Codes: NAICS 336120 "Heavy duty truck over 14,001 GVW" with a base value of 151.8 (January 2016). All future options will require an additional guarantee in the form of a 5% bond or cashier's check prior to contract execution.

Description of Work: four public transit buses according to specifications outlined in this document. As part of this contract, the Contractor also allows for the purchase of additional and identical vehicles to be purchased on a schedule determined solely by the City.

Delivery: vehicle delivery will be staggered. This delivery schedule is intended to provide flexibility to the vendor in acquiring the chassis. The first delivery will consist of two (2) buses; the second delivery (two buses) shall occur **no sooner** than six months following the first delivery.

Bids must be in one sealed envelope with statement thereon "BID ENCLOSED, CITY OF CASPER 2016 TRANSIT BUS ACQUISITION, PROJECT # MPO 16-01B2" and submitted to the following address:

Andrew Nelson City of Casper | MPO Division 200 North David Street Casper, Wyoming 82601

Bids must be submitted at or before the above stated time. Bids must include four sections: (1) Base Bid, (2) Other required documents, (3) References, (4) all required certifications. The Bid section will be opened publicly, read aloud, and tabulated by the City Manager, or his or her Designee, at the above stated time and place, unless an alternative site is designated in writing which is posted at the Finance Office prior to the time of Bid Opening. No bid may be withdrawn for a period of thirty (30) days after the date set for opening thereof.

Issuance of this bid does not commit the City to award any contract, to pay any costs incurred in preparation of a bid pursuant to this request, or to procure or contract for services or supplies. The City of Casper reserves the right to reject any or all bids and to waive any informalities or technicalities in the

bidding. Any bid received after the time specified or without accompanying Bid Guaranty, as stated below, will not be considered.

Bid Documents, including specifications, are currently available from the Metropolitan Planning Organization, 200 North David Street, Casper, Wyoming. Bidders may obtain one set upon request. Please note this project is partially funded with Federal Transit Authority funds and has specific Federal compliance clauses regarding procurements of rolling stock.

A Bid Guaranty in the form of a properly executed Bid Bond payable to the City in the amount of not less than 5% of the total base bid amount must accompany each bid. (NOTE: If your bid is less than \$100,000.00 you may submit a Cashier's Check for not less than 5% of the total base bid amount.) The successful Bidder will be required to execute an Agreement with the City, in the form supplied in the bidding documents, within thirty (30) days after Notice of Award is issued. The Notice of Award shall serve as notice that the Agreement is ready for execution. The Bid Guaranty shall be forfeited as liquidated damages if the Bidder fails to execute the Agreement within (30) days after such notice is issued, or fails to provide proper Bond or other form of Guaranty, as approved. The Bid Guaranty, if a Bid Bond, shall be executed by a surety or guarantee company authorized to do business in Wyoming. The Attorney-in-Fact who executes the Bond on behalf of the surety shall affix a certified and current copy of its Power of Attorney from the surety. No other type of Bid Guaranty will be accepted. The City may proceed against a Bid Guaranty unless either: a) the Agreement has been executed by Contractor and Performance, and Labor and Material Payment Bonds have been furnished, as required; or, b) the specified time has elapsed so that Bids may be withdrawn; or c) the Bid has been rejected.

Publish: March 15, 2016

March 19, 2016

Part I: Standard Inst	ructions to Bidders and	Proposal Organization

STANDARD INSTRUCTIONS TO BIDDERS

(Approved by City Attorney, 1997)

1. <u>DEFINED TERMS</u>.

- 1.1 Terms used in these Instructions to Bidders have the meanings assigned to them in the Standard General Conditions, as modified by the Supplementary Conditions unless otherwise stated herein.
- 1.2 Certain additional terms used in these Instructions to Bidders have the meanings indicated below which are applicable to both the singular and plural thereof.
- A. Bidder: One who submits a bid directly to the City.
- B. Successful Bidder and/or Contractor: This term means the qualified, responsible, and responsive Bidder, as determined by the City, who has submitted the lowest bid, and to whom the City has awarded the Contract.
- C. Bid Documents: Prior to award of the contract, all documents in the Bid Package are considered "Bid Documents." This includes the Advertisement for Bid, Instructions to Bidders, Bid Forms, Bond Forms, Sample Agreement, Standard General Conditions, Supplementary Conditions, Technical Specifications, drawings, etc. Bid Documents also include any addenda issued prior to the opening of the bids.
- D. Contract Documents: Following the award of the contract, contract documents shall include those documents listed above in "C." -- with the exception of the Advertisement for Bid, Bid Bond and the Instructions to Bidders; the executed performance and payment bonds; change orders; and, all written agreements and/or written documents executed between the City and Contractor.

2. COPIES OF BIDDING DOCUMENTS.

- 2.1 Bidding Documents, including specifications, are currently available from the Casper Area Metropolitan Planning Organization. Bidders may obtain one set upon request.
- 2.2 Complete sets of Bidding Documents must be used in preparing Bids; the City assumes no responsibility to Bidders for errors or misinterpretations, including those resulting from the use of incomplete sets of Bidding Documents.
- 2.3 The City, and/or its agent, in making copies of Bidding Documents available on the above terms, does so only for the purpose of obtaining Bids on the Work and does not confer a license or grant for any other use.

3. QUALIFICATIONS OF BIDDERS.

3.1 Post Bid Qualifications: To demonstrate qualifications to perform the Work, each Bidder must be prepared to submit within five (5) days of Owner's request written evidence

demonstrating Bidder's responsibility, including, but not limited to, matters such as financial data and previous experience with the City and other government agencies. Each Bid will be considered a warrant of Bidder's qualification to do business in this state. Proof of such qualifications may be required upon five (5) days' notice.

4. <u>EXAMINATION OF CONTRACT DOCUMENTS AND EQUIPMENT</u>.

- 4.1 Before submitting a Bid, each Bidder must do at least the following:
- A. Examine the Bidding Documents thoroughly;
- B. Become familiar with federal, state, and local laws, ordinances, rules, and regulations that may in any manner affect cost, progress, or performance of the work, including the required Federal clauses and certifications included in the bid packet; and
- C. Study and carefully correlate Bidder's observations with the Bidding Documents.
- 4.2 On request the City will provide each Bidder access to existing vehicles to conduct such investigations as each Bidder deems necessary for submission of his Bid. The City may require any Bidder desiring access to execute an appropriate release form.
- 4.3 The submission of a Bid will constitute an incontrovertible representation by the Bidder that: Bidder has read and understands the Bidding Documents and the Bid is made in accordance therewith; Bidder assumes responsibility for estimating properly the difficulties and costs of successfully performing the work; Bidder has complied with every requirement of these instructions; and that the Bidding Documents are sufficient in scope and detail to indicate and convey an understanding of all terms and conditions for performance of the Work.

5. INTERPRETATIONS.

All questions about the meaning or intent of the Bidding Documents shall be submitted to the MPO Manager in writing no later than March 25. The MPO will post responses to the City website on March 30. Replies will be issued by Addenda posted to the City website for all parties recorded by the MPO Manager as having received the Bidding Documents. **Questions received less than ten (10) calendar days prior to the date for opening the Bids will not be answered.** Only questions answered by formal written Addenda will be binding. Oral interpretations, clarifications, or comments are not binding upon the City, and do not serve to amend, modify, or in any way change the basic Bidding Documents, and shall be relied upon by Bidder at his own risk.

6. BID GUARANTY.

6.1 Unless otherwise provided, a Bid Guaranty in the form of a Bid Bond, as required by Wyoming Statute Section 15-1-113(f), shall be provided by all Bidders and be made payable to the City, in the amount of five percent (5%) of the Bidder's Total Base Bid.

Bid Bonds shall be executed by a Surety or Guaranty Company authorized to do business in Wyoming.

6.2 The Bid Guaranty of the Successful Bidder will not be released unless and until such Bidder has executed the Agreement and furnished the required contract Bond(s). If the successful Bidder fails to execute and deliver the Agreement and furnish the required Contract Bonds within thirty (30) days of the Notice of Award, or fails to proceed with the performance of the Contract, the City may annul the Notice of Award and the Bid Guaranty of that Bidder will be forfeited as liquidated damages, it being agreed that exact damages are difficult or impossible to calculate, and the Bid Guaranty amount is the best estimate.

7. CONTRACT TIME.

The number of days within which, or the date by which, the Work is to be completed (the Contract Time) is set forth in the Bid Form and will be included in the Agreement.

8. <u>LIQUIDATED DAMAGES</u>.

Provisions for liquidated damages are to be set forth in the Agreement, and in Section 7 here above.

9. MATERIAL AND EQUIPMENT.

- 9.1 The materials, products, and equipment described in the Bidding Documents establish a standard or required function, dimension, appearance, and quality to be met by any proposed substitution.
- 9.2 Materials containing asbestos will not be accepted.
- 9.3 No substitution will be considered unless written request for approval has been submitted by the Bidder on an appropriate form, and has been received by the MPO Manager or the City's designated agent at least TEN (10) DAYS prior to the date for receipt of bids. Each such request shall include the name of the material or equipment for which it is to be substituted and a complete description of the proposed substitute including drawings, cuts, performance and test data, and any other information necessary for an evaluation. A statement setting forth any changes in other materials, equipment, or work that incorporation of the substitute would require, shall be included. The burden of proof of the merit and adequacy of a proposed substitute is upon the Bidder. The decision of approval or disapproval of a proposed substitution by the MPO Manager or the City's designated agent will be final.

If any proposed substitution is approved, such approval will be described in an addendum. Bidders shall not rely upon approvals made in any other manner.

9.4 When generic parameters for performance and/or appearance are specified, those materials which comply with specifics as delineated do not require a written request for

approval. They must be capable of withstanding specification comparison, however, at the time of product data and shop drawing submittal.

10. SUBCONTRACTORS, ETC.

10.1 If required by the City, the identity of certain Subcontractors and other persons and organizations shall be submitted to the City in advance of the Notice of Award. The selected Bidder, and any other Bidder so requested by the City, will within seven (7) days after the day of the Bid opening, submit to the City a list of names and addresses of all Subcontractors and other persons and organizations whom Bidder proposes will furnish material and/or equipment for the Work. Such list shall be accompanied by an experience statement with pertinent information as to similar projects and other evidence of qualification for each Subcontractor, person, and organization if requested by the City. If the City, after due investigation has reasonable objection to any proposed Subcontractor, or other person, or organization, the City may, before giving the Notice of Award, request the apparent Successful Bidder to submit an acceptable substitute without an increase in Bid price. If the apparent Successful Bidder declines to make any such substitution and the Agreement is not awarded to such Bidder for that reason, the Bidder's refusal will not constitute grounds for forfeiting the Bid Guaranty. Any Subcontractor, other person, or organization so listed and to whom the City does not make written objections prior to giving of the Notice of Award will be deemed acceptable to the Owner.

11. BID FORM

- 11.1 The Bid Form is included with the Bidding Documents. Bidders shall bid all schedules and alternates (if any) as set forth in the Bid Form.
- 11.2 Bid Forms must be completed in ink or by typewriter. Corrections must be initialed by the Bidder. The Bid price of each item on the form must be stated in words and numerals; in case of a conflict, words will take precedence.
- 11.3 Bids by corporations or limited liability companies must be executed in the business entity's name by the president or a vice-president (or other officer or member accompanied by evidence of authority to sign), and the signature attested to by an authorized officer or member. The business entity's address and state of incorporation shall be shown below the signature.
- 11.4 Bids by partnerships must be executed in the partnership name and signed by a partner, whose title must appear under the signature. The official address of the partnership must be shown below the signature.
- 11.5 All names must be typed or printed below the signature.
- 11.6 The bid shall contain an acknowledgment of receipt of all Addenda (the numbers of which shall be filled in on the Bid Form).

- 11.7 The address to which communications regarding the Bid are to be directed must be shown.
- 11.8 All items which are not specifically referred to in the Bid Form but are included in the plans or specifications are to be considered incidental to the performance of the major work described and shall be constructed as indicated on the plans or called for in the specifications without additional remuneration.

12. SUBMISSION OF BIDS.

Bids shall be submitted not later than the time and at the place indicated in the Advertisement for Bids and shall be included in an opaque sealed envelope, marked with the Project title and name and address of the Bidder and accompanied by the Bid Guaranty and other required documents. If the Bid is sent through the mail or other delivery system, the sealed envelope shall be enclosed in a separate envelope with the notation "BID ENCLOSED" on the face thereof.

13. <u>MODIFICATION AND WITHDRAWAL OF BIDS</u>.

- 13.1 Bids may be modified or withdrawn by an appropriate document duly executed (in the same manner that a Bid must be executed) and delivered to the place where Bids are to be submitted at any time prior to the opening of Bids.
- 13.2 If, within twenty-four (24) hours after Bids are opened, any bidder files a duly signed written notice with the City and promptly thereafter demonstrates to the satisfaction of the City that there was a material and substantial mistake in the preparation of his Bid, that Bidder may withdraw its Bid and the Bid Guaranty will be returned. Thereafter, that Bidder will be disqualified from further bidding on the Work.

14. <u>OPENING OF BIDS.</u>

Bids will be opened publicly and read aloud. An abstract of the bid schedule will be made available after the opening of Bids.

15. BIDS TO REMAIN EFFECTIVE.

All Bids not modified or withdrawn as provided in Section 16, shall remain effective for thirty (30) days after the day of the Bid opening, but the Owner may, in its sole discretion, release any Bid and return the Bid Guaranty prior to that date.

16. AWARD OF CONTRACT.

16.1 The City reserves the right to reject any and all Bids; to waive any and all irregularities or informalities; to negotiate specific contract terms not inconsistent with the Advertisement for Bids, with the Successful Bidder; and to disregard all nonconforming, nonresponsive, unbalanced, or conditional Bids. Discrepancies between words and numerals will be resolved in favor of words. Discrepancies between the indicated sum of any column of numerals and the correct sum thereof will be resolved in favor of the correct sum. Finally,

- the City reserves the right to select a vendor with a Bid other than the lowest price through evaluation of bid documents to determine responsiveness and responsibility.
- 16.2 A Bidder shall bid all schedules and alternates (if any) as set forth in the Bid Form. The City reserves the right in awarding the Agreement to consider the competency, responsibility, and suitability of the Bidder, as well as the amounts of the various bids. The Work, therefore, may not necessarily be awarded to the low bidder.
- 16.3 In evaluating Bids, the Owner reserves the right to limit the scope of the project to the monies available for the project.
- 16.4 The Owner may consider, among other things, the qualifications and experience of Subcontractors and other persons and organizations who are proposed to furnish material or equipment for the Work; operating costs; maintenance considerations; performance data; and guarantees of materials and equipment.
- 16.5 The Owner may conduct such investigations as it deems necessary to assist in the evaluation of any Bid and to establish the responsibility, qualification, and financial ability of the Bidders, proposed Subcontractors, and other persons and organizations proposed to do the Work in accordance with the Bidding Documents.
- 16.6 If the Agreement is to be awarded, it will be to the Bidder who is determined qualified and responsible in the sole discretion and best interest of the City. The low bid shall be determined based upon an evaluation of the Total Base Bid. The City reserves the right to accept or reject alternates in any order or combination; and to accept or reject any schedule or all schedules.
- 16.7 If the Agreement is to be awarded, the Owner will give the Successful Bidder a Notice of Award within thirty (30) Days after the day of selection.

17. PERFORMANCE BONDS AND INSURANCE CERTIFICATES.

The General and Supplementary Conditions set forth the City's requirements as to Performance Bonds and Insurance Certificate(s). When the Successful Bidder delivers the executed Agreement to the Owner, it shall be accompanied by the required Bonds and Insurance Certificate(s).

18. SIGNING OF AGREEMENT.

When the City gives a Notice of Award to the Successful Bidder, it will be accompanied by one (1) unsigned counterpart of the Agreement and the Performance Bond. Within thirty (30) days thereafter, Contractor shall comply with the conditions precedent in the Notice of Award. Within ten (10) days thereafter, the City will deliver one (1) fully signed counterpart to Contractor. The City will deliver one signed copy of the Agreement within the project manual.

Part II: Technical Specifications

CITY OF CASPER SPECIFICATIONS FOR

FOUR (4) 26 PASSENGER LIFT-EQUIPPED TRANSIT VEHICLES

General

Specifications:

It is the intent of these specifications to specify the minimum requirements for the furnishing and delivery of four (4) 26 passenger, lift-equipped transit vehicles. The units shall be new and the manufacturer's current production model. Units shall be delivered complete and ready for service, as specified, and shall be equipped with all of the manufacturer's standard equipment, as advertised, whether or not specifically mentioned in these specifications, in addition to all other equipment and attachments specified herein.

Item	Minimum Specifications	Bidder's Specifications
Chassis	Current production model.	
	19,500 maximum GVW plate	
	certified 2016 or newer chassis or	
	approved equal. Axles shall be	
	marked if synthetic oil is used.	
	2016 Diesel emission compliant	
	engine. 6.0 liter minimum	
	displacement. 300 horsepower or	
	greater, turbo charged, with a	
Engine	minimum of 650 pounds of	
Liigine	torque at no less than 1,400	
	RPM.	
	Oil cooler, heavy duty air	
	cleaner.	
	The engine cover shall be	
	insulated from engine heat,	
	engine noise, and road noise.	
	Driver's area noise level (at	
	driver ear level) shall not exceed	
Engine Cover	82 DBA for any engine at a	
Eligine Cover	constant speed of 55 mph on a	
	level roadway. Additional	
	equipment added to the engine	
	cover area shall not interfere with	
	removal/installation of the engine	
	cover.	
Alternator	145 amp minimum.	
Batteries	Two (2) 12-volt 650 minimium	
Butteries	cold cranking amp maintenance	

	1	
	free batteries. Batteries located	
	on slide out trays under vehicle.	
	COMPLETELY ENCLOSED	
	SO BATTERIES AND	
	MOUNTINGS WILL REMAIN	
	FREE OF ROAD DEBRIS. NO	
	EXCEPTIONS. Auxiliary	
	battery switch driver operated	
	between coach and motor	
	batteries. Switch to be easily	
	accessible on panel by driver.	
	Heavy-duty, six-speed	
	automatic cooled by external	
	"H.D. transmission oil cooler"	
Transmission	in series with radiator cooler or	
	equal (cooler capacity to match	
	GVWR of bus).	
	Shall come installed with the	
Engine Block Heater	vehicle upon delivery.	
	Rear air ride suspension as	
Suspension	required for vehicle GVRW.	
	Fluids shall be checked and filled	
	from inside front hood where	
Fluids	application allows. Engine oil	
	fill/check, transmission oil	
	fill/check, and coolant fill/check	
	shall be located for easy access.	
Power Steering	With heavy duty pump power	
	steering pump.	
	The exhaust shall exit the bus to	
Exhaust System	the street side at the rear of the	
Exitadst System	bus. The tailpipe shall terminate	
	flush with the body panel.	
Brakes	Four wheel anti-lock and disc	
Diakes	brakes for both front and rear.	
	The exhaust system shall meet	
	FMVSS §393.83 and current	
	Environmental Protection	
	Agency (EPA) requirements.	
	The exhaust system must be	
	installed to provide maximum	
	ground clearance and departure	
	angle at the rear of the bus.	
	ALL exhaust clamps shall have	
	the threaded ends pointed up to	
	remove any danger of contact	

	241	
	with a person's head when	
	vehicle is on a hoist.	
	Six (6) LT225-75R x 16	
	10-ply Commercial LT's front	
	radial tires, rear mud and snow or	
Tires	approved equal mounted on	
	heavy wheels.	
	DO NOT INCLUDE JACKS OR	
	LUG WRENCHES.	
	Largest capacity available for	
	this model, full and properly	
	blended for the climate with a	
Fuel Tank	full tank of DEF fluid at time	
T del Tum	of delivery with high quality	
	vented gas cap and tethered to	
	the vehicle. One tank only.	
	190" inch factory length	
Wheelbase	minimum.	
	Permanent anti-freeze protection	
Antifreeze	_	
	to minus -40 Fahrenheit.	
	OEM fuel, voltmeter,	
	speedometer odometer, water	
	temperature and oil pressure.	
Gauges	Wipers: Three speed electric	
	windshield wipers with	
	intermittent wipe and dual jet	
	washers required.	
	Truck type single rear axle with	
	dual rear wheels. Gear ratio must	
Axles	be appropriate for proper	
AAICS	operation at low speeds and	
	optimum efficiency during in-	
	city driving.	
	Shall be guarded to prevent it	
Drive shaft	from striking the floor or ground	
	in the event of failure.	
	The front bumper shall be a high	
	energy absorbing bumper. The	
	rear bumper shall be installed per	
Bumpers	bumper manufacturer's	
25	specification and include a	
	bumper step for easy access to	
	the bus through the rear door.	
	Halogen Aero Headlamps with	
Headlights	warning buzzer. An automatic	
	daytime headlight control system	
	shall be provided. The system	

	<u> </u>	
	shall illuminate the headlights	
	when the ignition switch is on	
	and the headlight switch is off.	
	The system shall activate	
	automatically after engine start	
	up with the headlamp switch off	
	and shall deactivate	
	automatically when the headlamp	
	switch is on or the ignition	
	switch is turned off.	
	The hood release shall be inside	
Other	the vehicle.	
	Horn shall be of the dual variety.	
Body Specifications		
_	The bus shall have a heavy duty	
	fully insulated unit-body	
	structure type. The body	
	structure (rollover frame) shall be	
	of durable steel and adequately	
	reinforced at all joints and points	
	of stress, with sufficient strength	
	to comply with the FMVSS 220	
	rollover protection test.	
	The vehicle shall safely	
	withstand road shock and other	
	conditions found in transit	
	operations.	
	All steel used in the body and	
	floor structure shall be stored out	
	of the elements to prevent early	
	corrosion.	
	The minimum interior height is	
	to be no less than seventy-four	
	inches (74") measured from the	
	floor of center aisle to the ceiling	
	directly above.	
	When the unit is completed, the	
	sections of the underside of the	
	bus exposed to the elements shall	
	be treated with undercoating	
	material except those areas of the	
	OEM chassis where undercoating	
	is not recommended.	
	Undercoating shall be warranted	
	for the same period covered by	
	the body/structure warrant with	
	no voids at delivery. A minimum	
	of five years warranty rust	
	proofing.	
Doors and Windows		
	Passangar Door: Passangar door	
	Passenger Door: Passenger door	
	shall be driver operated and	

electrically controlled with	
exterior key switch.	
The door shall be a double	
folding or split type. Doors shall	
be located on passenger side of	
vehicle behind front wheel.	
Clear safety window glass in	
door only.	
Door opening width shall be 36".	
The door, when open, shall be a	
minimum of 32". Door opening	
height shall be a minimum of	
_	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
measured from the top of the first	
step to the door header.	
All steps, including the step well,	
shall be steel construction. All	
risers shall be of equal height	
which will not exceed 10".	
For easy access to door	
adjustments the cover shall be	
hinged with only one latch.	
Emergency Exit: One window	
on each side shall serve as	
emergency window exits.	
Additional emergency exit shall	
be the rear door and shall include	
a bumper step and warning alarm	
when rear door is opened. All	
emergency exits shall be clearly	
marked with instructions for	
proper use.	
The doors shall be lockable by a	
key from the outside of the	
vehicle. All doors must be easily	
opened from the inside and	
outside of the vehicle including	
electric passenger door and rear	
door.	
Windows: Full view curb	
window. Passenger compartment	
windows shall be T-type slider at	
top, full slider or top tip-in type	
for window ventilation.	
Windows shall have double	
density safety glass or	
Thermopane and heavy-duty	
locking features which shall meet	
FMVSS 217 for emergency exits.	
All vehicle windows will be	
safety glass.	
Window glazing material shall be	
able to maintain its seal and glass	
retention for the life of the unit.	

	Caulking around windows shall	
	be used only as a seal, not to	
	make up for body defects or out	
	of tolerance window openings.	
	Tinted glass (minimum of 50%	
	reduction).	
	A strip of smoked glass across	
	the top of the windshield is	
	required. The two (2) rear clear	
	windows in rear door shall have a	
	wide angle view lens to improve	
	vision directly behind the	
	vehicle.	
	Drip rails shall be provided over	
	lift area, passenger windows and	
	entry doors.	
Interior		
	The driver shall have direct and	
	unobstructed access to the	
	passenger compartment (i.e., the	
	driver will not have to exit the	
	vehicle to access the passenger	
	area).	
	The aisle area and underneath the	
	passenger seats will be slip-	
	resistant, even when wet,	
	impervious, and grout-free. All	
	materials shall be flame retardant	
	and treated for easy cleaning.	
	Color to be determined after bid	
	award. Step treads and risers	
	shall be covered with ribbed	
	rubber with a bright yellow step	
	nosing at the forward edge. All	
	flooring must be non-skid.	
	All surfaces including top of	
	door, shall have items of	
	hardware in passenger	
	compartment having no sharp	
	edges or corners and angles shall	
	be padded for safety. All risers	
	shall be of equal height which	
	will not exceed 10".	
	Floor shall be flat. There shall be	
	no steps once the passenger has	
	entered the vehicle. The floor	
	shall come all the way to the	
	passengers steps.	
	Bidders must include a detailed	
	copy of the proposed floor plan.	
	Grab Rails: Grab rails left and	
	right side entrance.	
	115110 blue chilianec.	

	Step Well: Entrance and center	
	aisle shall be overlaid with	
	ribbed, commercial grade rubber	
	flooring. The step well shall be	
	lighted. Lighting strip on steps	
	is not acceptable. The floor in	
	the seating area shall be smooth	
	commercial grade rubber. The	
	floor shall be easily distinguished	
	by visually impaired persons.	
	Black or white is not acceptable.	
	All step edges shall have a band	
	of bright contrasting color	
	running the full width of the	
	edge. Step well shall be	
	undercoated and shall include	
	rust proofing. Undercoating shall	
	be warranted for the same period	
	covered by the body/structure	
	warrant with no voids at delivery.	
	A minimum of five years	
	warranty rust proofing. Bottom	
	step shall be heated.	
	The vehicle shall be equipped	
	with one padded, adjustable sun	
	visor driver's side only.	
	Interior advertising panels lining	
	the passenger compartment.	
76. / (**)	the passenger compartment.	
Mirrore		
Mirrors	Intonion minuon mish - 31	
Mirrors	Interior mirror with adjustable	
Mirrors	mounting bracket shall be a 4" by	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror.	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass.	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least 50 square inches of flat glass	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least 50 square inches of flat glass viewing area. Right hand mirror	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least 50 square inches of flat glass viewing area. Right hand mirror shall be a fender ridge mount and	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least 50 square inches of flat glass viewing area. Right hand mirror shall be a fender ridge mount and must not impede driver vision out	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least 50 square inches of flat glass viewing area. Right hand mirror shall be a fender ridge mount and must not impede driver vision out of side windows. Left hand	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least 50 square inches of flat glass viewing area. Right hand mirror shall be a fender ridge mount and must not impede driver vision out of side windows. Left hand mirror shall be a sail mount style.	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least 50 square inches of flat glass viewing area. Right hand mirror shall be a fender ridge mount and must not impede driver vision out of side windows. Left hand mirror shall be a sail mount style. All exterior mirrors shall be	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least 50 square inches of flat glass viewing area. Right hand mirror shall be a fender ridge mount and must not impede driver vision out of side windows. Left hand mirror shall be a sail mount style. All exterior mirrors shall be constructed with high impact	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least 50 square inches of flat glass viewing area. Right hand mirror shall be a fender ridge mount and must not impede driver vision out of side windows. Left hand mirror shall be a sail mount style. All exterior mirrors shall be constructed with high impact plastic, stainless steel or	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least 50 square inches of flat glass viewing area. Right hand mirror shall be a fender ridge mount and must not impede driver vision out of side windows. Left hand mirror shall be a sail mount style. All exterior mirrors shall be constructed with high impact	
Mirrors	mounting bracket shall be a 4" by 9" minimum, flat mirror glass with rounded corners. The driver shall be able to adjust the mirror so the complete passenger compartment can be viewed through interior mirror. Each bus shall be equipped with exterior left-hand and right hand rear view mirrors of flat glass with convex mirrors a combination flat/convex glass. The mirror shall contain at least 50 square inches of flat glass viewing area. Right hand mirror shall be a fender ridge mount and must not impede driver vision out of side windows. Left hand mirror shall be a sail mount style. All exterior mirrors shall be constructed with high impact plastic, stainless steel or	

	and shall move independently of	
	the mirror housing.	
	The mirrors shall be modular in	
	design so the glass can be	
	replaced using the "twist lock"	
	mechanism for service without	
	removing the entire mirror	
	assembly from the bus.	
	Mirror arms shall have adjustable	
	detents to allow for repositioning.	
	Mirrors shall be heated with	
	convex and flat mirrors	
	controlled from the driver's seat.	
	The mirror placement shall not	
	obstruct driver vision nor have	
	window divider bars between the	
	driver and mirror face.	
Seating		
~~~~~~	The Driver's seat will be a	
	Freedman G2E or approved	
	equal.	
	Salient characteristics of the	
	Freedman G2E: must meet all	
	applicable FMVSS for safety.	
	The seat shall provide a full	
	range of driver controlled	
	adjustments including forward,	
	backward, dual lumbar support,	
	seat cushion tilt adjustment,	
	dymetrol active suspension, and	
	height adjustment. Recline	
	should be 45 to 110 degrees. A	
	certified seat belt with automatic	
	retractor shall be provided. Rated	
	to 400 pound capacity.	
	la iso pound capacity.	
	The seat shall be covered in a	
	combination of fabric and vinyl.	
	An instruction booklet for the	
	seat is to be included.	
	Passenger Seating: Vehicles	
	shall use forward facing heavy-	
	<u> </u>	
	duty vinyl (at least Level 3)	
	folding seats that can be used	
	over the wheelchair tie down area	
	without interfering with the	
	normal operation of the	
	wheelchair tie downs on driver's	
	side only.	
	All aisle seats on Driver's side	
	shall include flip seats.	
	Grab bars are required on all	
İ	orac cars are required on all	

	1	
	passenger seating, including folding seats.	
	Passenger seats must meet all	
	federal motor vehicle safety	
	standards. FMVSS 209,	
	207/210.	
	The rear seat on the passenger	
	side the bottom cushion only will	
	flip up to protect the rear heater	
	on the floor.	
	Seat belts to be provided for each	
	seat. The latch end of the belt	
	will have an emergency locking	
	retractor. The retractor will be	
	mounted underneath the seat to	
	the seat frame. No lap retractors.	
	A push button latch release	
	mechanism. Two universal	
	"Buckle Up" decals	
	approximately 6" by 6" shall be	
	furnished loose with each bus.	
	Decals shall indicate that seat	
	belt use is required.	
	All materials shall be flame	
	retardant. All seat mounts shall	
	meet applicable federal	
	standards.	
	Seat color will be determined	
	after bid award.	
	Seats will meet or exceed all	
	applicable Federal and State	
	safety standards. FMVSS 209,	
	207/210. See Exhibit B for	
	seating configuration.	
	Integrated Child Seats to be	
	included on each aisle seat of the	
	passenger side except for the last	
T 2-1.42	seat in the back.	
Lighting		
	Interior Lights: The vehicle shall	
	be equipped with overhead,	
	entrance, and step well lights to	
	ensure adequate illumination of	
	step well. These lights shall	
	illuminate automatically when	
	door is opened. Adequate interior	
	lighting throughout the passenger	
	compartment which will afford	
	illumination at reading level. A	
	separate light shall be provided to	
	illuminate lift platform for night	
	operation of the lift.	
	The vehicle exterior lights shall	
	be in accordance with Federal	

	Mater Waliata Camina Cafeta	
	Motor Vehicle Carrier Safety	
	Standards and shall be flush with	
	the body and/or shielded to	
	protect from loss or damage.	
Wiring		
	A fuse panel shall be	
	conveniently accessible for	
	service from inside the bus. The	
	door for access shall be a sliding	
	panel. A legend shall be posted	
	inside the panel which shall	
	correspond with the components.	
	Wiring provided by the	
	manufacturer will be Point to	
	Point wiring. Red and green	
	LED indicators on fuses and	
	relays. The wiring shall be	
	bundled and clamped to protect	
	the wires. Wires passing	
	through metal shall be	
	grommeted to protect the	
	wiring. Silk screening for	
	components and fuse legend.	
	Manufacturer's standards	
	switches, gauges and controls are	
	acceptable. All switches and	
	controls added by the body	
Operator's Controls	manufacturer shall be	
	conveniently located on a panel	
	close to the driver position and	
	labeled accordingly.	
	Master electronic printed circuit	
	board control panel. The lights	
	for the coach and the lights for	
	the chassis shall be wired	
	separately. The wiring system	
	must be capable of operating 13	
	hours per day five days per week	
	and eight hours on Saturday	
	without interruption.	
	Driver heating unit shall be	
	automotive in-dash type (chassis	
	Original Equipment	
	Manufacturer (OEM) or equal)	
	and shall be capable of delivering	
	heat, fresh air ventilation, and air	
Heating and Cooling	conditioning to the driver's area.	
	The front heater shall have a	
	temperature control which can be	
	regulated from the driver's area.	
	The driver's area shall have air	
	circulation in each mode of	
	defrost, heat, fresh air ventilation,	
L	, , ,	I .

1	Т
and air conditioning.	
The heater shall not be included	
in the air conditioning.	
Two (2) rear heating units shall	
distribute heat in at least 180	
degree air distribution to	
passenger areas of the bus	
interior. Coolant flow through the	
heating units shall not be	
restricted by excessive bends or	
kinks in hoses or excessive hose	
length. Heating units shall have	
rubber or nylon insulator(s)	
between their mounting base and	
floor of the bus.	
Vehicle shall include dual	
compressor front and rear air	
conditioning (64,000 BTU	
minimum) and a separate rear	
heating system shall be rated at	
least at 65,000 BTUs. Both	
systems shall be sufficient to cool	
or heat both the driver and all	
sections of the passenger	
compartment.	
Adjustable heat and air	
conditioning controls for driver's	
area and passenger compartment.	
The air conditioning system (AC)	
shall have front and rear	
evaporator units. The system	
shall be integrated with a	
compatible in-dash driver's area	
evaporator unit and compressor	
(chassis OEM) capable of	
delivering tempered air for	
windshield defrosting.	
The systems shall use refrigerant	
type R-134A and be warranted	
from in service date for two (2)	
full years, minimum.	
•	
3	
integrated with a compatible in-	
dash driver's area evaporator unit	
(complete front system may be	
Chassis OEM). The front system	
shall provide temperature control	
with sufficient cooling ventilators	
for driver comfort with no	
reliance on the rear system for	
front temperature control. Front	
and rear air flow and temperature	
shall be controlled by separate	
switches on the driver's control	

T	
panel or dash panel. Front and	
rear systems shall have separate	
fan controls.	
Compressor: There shall be one	
engine driven air conditioning	
compressor of nominal 10 cu. in.	
displacement (may be chassis	
OEM)	
Condenser: The system's	
condenser shall be skirt mounted.	
The condenser fans and motors	
shall be enclosed within the	
condenser housing. Evaporator(s)	
in the front (may be chassis OEM	
equipment) and rear evaporator	
shall have three-speed or variable	
speed continuous duty	
1	
permanently lubricated blower	
motors (rear blower assembly	
shall meet required certification	
in Vendor/Manufacturer	
 Requirements)	
The driver's evaporator shall be	
controlled separately from the	
passenger area evaporator and	
shall have a three-speed or	
variable speed continuous duty	
permanently lubricated blower	
motor (may be chassis OEM	
equipment). The controls shall	
include an on/off switch and a	
three-speed blower switch. The	
in-dash unit shall not interfere	
with removal or replacement of	
the engine cover.	
The passenger area evaporator	
system shall be separately	
controlled from a control station	
at the driver's position. The	
controls shall include an on/off	
switch and a three-speed or	
variable speed blower switch.	
The components of the air	
conditioning system shall be	
readily accessible for	
maintenance. Service/charging	
ports shall be accessible without	
_	
removing any other component	
or item.	
The evaporator and condenser	
wiring (power and ground	
circuits) shall be properly sized	
to provide full battery voltage to	
each electrical unit. Air	
Tarin Ciccurcus and Ame	

	conditioning electrical circuits	
	shall be protected with automatic	
	circuit breakers or thermal relays.	
	The wiring shall meet all	
	applicable specifications.	
	Driver's area mounted and	
	adjustable multi speed manual	
	fan.	
	Parts and Service Manual for	
	ADD-ON Air Conditioners shall	
	be Included. No Exceptions	
	System controls will provide fan	
	speeds and automatic thermostat	
	operation. Roof mounted is not	
	acceptable. In all cases the	
	successful vendor will be	
	responsible for all warranty	
	repairs.	
	Adjustable heat and air	
	conditioning controls for driver's	
	area and passenger compartment.	
Paint and Lettering		
	Vehicles shall be white. The	
	paint for the vehicle shall follow	
	the outline described in Exhibit	
	A. See paint scheme page for	
	layout instructions. Call Marge	
	Cole at 307-265-1313 for	
	specifics regarding colors.	
	Rear of bus must include	
	minimum 5" red letters that	
	indicate bus makes frequent stops	
	and stops at all railroad	
	crossings.	
Safety Equipment		
	Twenty-four (24) unit first aid	
	kit.	
	Five (5) pound, rechargeable type	
	ABC rate fire extinguisher with	
	metal head.	
	Three triangle warning devices	
	Rear and front mud flaps	
	Back up warning device	
	Wiring Master electronic printed	
	circuit board control panel. Color	
	function coding wiring harness.	
	All cable and wiring shall be	
	coded and the builder shall	
	furnish complete wiring diagram	
	clearly marked to indicate code.	
	All added accessories and	
	electrical equipment shall be	
	wired through a constant	

	T	
	solenoid, energized by the	
	vehicle ignition switch and shall	
	have a separate circuit breaking	
	system. All wiring shall be	
	protected from rubbing and heat	
	sources.	
	In all cases the successful vendor	
	is responsible for all warranty	
	repairs to the body and the	
	chassis.	
	The vehicle shall meet the	
	requirements of CFR 49 part 38,	
	subpart B (Accessibility for	
ADA Accommodation	Transportation Vehicles).	
	Lift is to be tested before leaving	
	the dealership and at delivery that	
	it deploys and stows properly.	
	The bus shall meet the	
	requirements of CFR 49 part 38,	
	subpart B (Accessibility for	
	Transportation Vehicles). Lift	
	shall be FMVSS 403/404	
	compliant. Installed by certified	
	installer.	
	mstarer.	
	The lift shall be on the passenger	
	side of the vehicle and shall be	
	rated for 1,000 pounds. The lift	
	doors shall have gas struts that	
	allow the doors to be secure in	
	the open position. The lift door	
	shall be in compliance with ADA	
	regulations.	
	A total of three (3) wheelchair tie	
	down positions will be installed	
	and located directly behind the	
	driver seat. All wheelchair tie-	
	downs positions require 3-point	
	seat belts and must comply with	
	applicable ADA regulations.	
	An interlock system shall be	
	provided to ensure that the bus	
	cannot be moved when the lift is	
	not stowed and that the lift	
	cannot be deployed unless the	
	interlock is engaged (to meet	
	ADA regulation). The interlock	
	system shall engage when the lift	
	operation sequence is followed.	
	Interlock operating instructions	
	shall be included with each bus at	
	delivery.	
	Three (3) additional wheelchair	
	1	

	tio downs shinned loose	
	tie downs shipped loose.	
	Six (6) tie down pouches shipped loose.	
	EACH vehicle shall be equipped	
	to accommodate three (3)	
	forward facing wheelchair	
	occupants. Drivers training kit	
	shall include operating	
	instructions guides and all	
	necessary information to use the	
	system successfully. Certification	
	that the tie-downs meet or exceed	
	ATBCB standards and ADA	
	requirements must be provided.	
	Seating configuration provided.	
Additional Equipment		
	The Bus manufacturer shall	
	provide complete recording video	
	surveillance systems for use	
	aboard the bus. Surveillance	
	systems may be installed at the	
	factory or shipped loose and	
	installed locally.	
	Systems are intended to impressed	
	Systems are intended to improve patron and operator perception of	
	safety and security through a	
	comprehensive video and sound	
	recording system providing	
	coverage throughout the interior	
	of the bus at a rate of up to 30	
	frames per second per camera.	
	A minimum of four (4)	
	surveillance cameras will be	
	furnished by the successful	
	bidder including all software,	
	hardware, videos, complete	
	installation instructions and	
	maintenance plan as well as all	
	necessary components needed for	
	successful installation.	
	Camera Specifications:	
	Resolution: 1600x1200 32k	
	colors or better.	
	The successful vendor must	
	provide training on the use,	
	maintenance, and installation of	
	the camera system.	
	One two-way radio (Motorola	
	preferred for compatibility with	
	existing radios) frequency 820 to	
	865 megahertz Smart Net	

	Operation, with low profile	
	(dome-style) roof-mounted antenna, no ground plane	
	antennas.	
	Due to the WYOLINK public	
	safety communications system	
	requiring unique functionality for	
	Wyoming government agencies,	
	Vendor shall pay for the purchase	
	and installation of radios locally	
	in Wyoming.	
	AM/FM Radio	
	Dash mounted electric clock.	
	Tilt steering wheel.	
	Front-mounted bike racks which	
	carry two bicycles.	
	Upper rear of vehicle must	
	include an additional set of	
	amber colored warning	
	lights/flashers that can be	
	activated with a switch by the driver to flash when bus is	
	stopping.	
	Back up warning device that is	
	audible outside the vehicle when	
	the transmission is in reverse.	
	The warning device shall be	
	mounted in the rear of the	
	vehicle.	
	Emergency triangle reflector kit.	
	Ceiling mounted safety handrails.	
	Manuals and keys: Each vehicle	
	must be delivered with an	
	operator's manual and Two (2)	
	sets of keys.	
	One of each of the following	
	must be provided:	
	Parts and Service Manual for	
	ADD-ON Air Conditioners. No	
	Exceptions.	
	Original Equipment Manufacturer.	
	Shop Repair Manual.	
	Cab & Chassis Manual.	
	Body (MFG) Manual.	
	Parts Manual.	
	Wheelchair Lift Service and	
	Repair manual.	
Destination Signs	The bus shall have a minimum of	
	two (2) large viewing windows	

	for destination signs located on
	the front and curbside of the bus.
	D 4 4 1 1 11 1
	Destination signs shall be re-
	programmed with
	destinations/language listed
	below. Fully programmable to
	provide up to twenty specific
	destinations). Single LED amber
	light style is acceptable.
	DRIVERS MUST HAVE EASY
	BUTTON ACCESS TO
	UPDATE INFORMATION ON
	MARQUEE. THE CONTROLS
	MUST BE MOUNTED IN THE
	DRIVER AREA. NO
	EXCEPTIONS!
	Destinations/Language shall
	include, but not be limited to,
	the following:
	a. Red=Casper College,
	YMCA, KW
	b. Blue=East 2 nd , Wal-
	, and the second
	Community Health c. Green=North Casper,
	1 /
	Family Services,
	Counseling Center,
	West Casper
	d. Yellow=Paradise
	Valley, Sunrise, Wal-
	Mart West
	e. Purple=Mills
	f. Orange=Evansville
	g. Out of Service
	h. Happy Holidays
	i. Thank You
	Materials and instructions
	required to program signs to be
	included. No exceptions.
	Successful vendor shall provide a
	minimum of one hour of training
	regarding programming and
	maintaining the destination signs.
Special Provisions	Manuals providing parts
Special Provisions	information, operating instructions and electrical
	mon actions and electrical

	schematics for the bus and lift	
	shall be delivered with each unit.	
	All warranty information and	
	registrations shall be completely	
	filled out and presented at the	
	time of delivery.	
	, and the second second	
	Bus shall be delivered <b>fully</b>	
	<b>fueled</b> and serviced to the City of	
	Casper Casper Service Center,	
	1800 East K St, Casper, WY.	
	Manufacturer shall submit with	
	the proposal a certification that	
	the vehicle complies with 49	
	CFR FMVSS 571.220-221 and	
	204 a copy of the Altoona bus	
	testing report for the model	
	proposed as well as any other	
	FMVSS requirements.	
	A certification must also be	
	included with the bid that the	
	vehicle meets all requirements of	
	the American with Disabilities	
	Act.	
	All paperwork necessary to	
	complete the titling and licensing	
	of the vehicles shall be available	
	within 30 days of delivery. This	
	includes the following statement	
	being placed in a conspicuous	
	place on the face of the title:	
	"WYDOT - GRANT	
	RESTRICTED".	
	Illuminated "Stop Requested"	
	sign located at the front of the	
	vehicle and visible to the driver	
	and all passengers. Stop request	
	actuated by a pull cord system.	
	Warranty shall become effective	
	on the date the bus is placed into	
	service. Warranty service	
	performed at the manufacturer's	
W/aman4	facilities at the manufacturer's	
Warranty	request shall have all costs	
	covered by the manufacturer.	
	Warranty for the bus shall be the	
	following as a minimum:	
	Three (3) years/36,000 miles on	
	chassis.	
	Five (5) years/100,000 miles on	
	power train, or the cost of	
	extending.	
	Three (3) years on body	
	Time (3) years on body	

	structure, exterior and paint.	
	Eighteen (18) months on lift.	
	All wiring shall be warranted for	
	one (1) year from date of	
	delivery.	
	Manufacturer's standard warranty	
	of one (1) year 12,000 miles,	
	minimum, on other add-on	
	components and items.	
	The chassis, body, and all add-on	
	components shall be warranted	
	by the successful vendor.	
	The A/C system shall have a	
	minimum of two (2) years	
	unlimited miles.	
	Alignment prior to delivery, the	
	vehicle shall be aligned after the	
	installation of the coach, and	
	wheelchair lift.	
	Provide contact name, address	
	and phone number that will	
	perform all warranty repairs.	
	The following items will be listed	
Ontional Busnisians	as options to the base bid. Please	
Optional Provisions	provide the price for these items	
	in the space below.	
	The cooling system shall have an	
	extra cooling capacity radiator,	
	water pump, pulley, and clutch-	
Coolant Circulation Heater	type fan with coolant recovery	
	system (heavy duty installed by	
	chassis manufacturer). Cooling	
	system shall be winterized	
	(minimum -40).	
	Hydraulic power split	
	transmission which stores kinetic	
	brake energy and releases energy	
	during acceleration.	
	Transmission dimensions: L-	
	28.4" W-23.6" H-22.1".	
Hydraulic Transmission	Available through Parker	
Trydraune Transmission	Hannifin Corp.	
	Taminin Corp.	
	Contont	
	Contact:	
	Angelo Caponi	
	Hydraulics Group	
	3885 Gateway Boulevard	
	Columbus, OH 43228	
	(330) 715-2959	
	(330) 113-2737	

angelo.caponi@parker.com	
Phillip S. Mailey	
Hydraulics Group	
3885 Gateway Boulevard	
Columbus, OH 43228	
(614) 935-6181	
phillip.mailey@parker.com	

NOTE: ALL AREAS IN THE ABOVE SPECIFICATIONS ARE TO BE ANSWERED, OR THE BID WILL BE CONSIDERED INCOMPLETE AND WILL BE REJECTED.

#### Additional

Information:

If additional information is required, written instructions shall be issued. No oral instructions or interpretations will be considered binding unless confirmed in the form of addenda and shall be furnished to all bidders who shall submit a signed copy of all addenda with their bid.

All information regarding specifications should be routed through the MPO Manager, Andrew Nelson, 200 North David Street, Casper, Wyoming, 82601, telephone 307-235-8255.

PAYMENT: The Casper Area Transportation Coalition shall make a lump sum payment after delivery and final acceptance of all goods bid (usually within 45 days of delivery).

Part III: Required Submittal Documents, Certifications, and Forms
MPO 16-01B Page 33

# Bidder Checklist - Index of Required Documents & Certifications

#	Description	Page	Completed
1.	Standard Bid Form	53	
2.	Standard Bid Bond	58	
3.	Non-Collusion Statement	60	
4.	Certification of Restrictions on Lobbying	61	
5.	Pre-Award Federal Motor Vehicle Safety Standards Certification	62	
6.	Certification of Compliance with the Americans with Disabilities Act	63	
7.	Transit Vehicle Manufacturers (TVM) Certification Regarding Disadvantaged Business Enterprise	64	
8.	Bus Testing Certification	65	
9.	Government-Wide Debarment and Suspension	66	
10.	Buy America Certification	67	
11.	Other Required Documents and References	68	

#### APPLICABLE FEDERAL CERTIFICATIONS AND CLAUSES

#### Fly America Requirements

Applicability- all contracts involving transportation of persons or property, by air between the U.S. and/or places outside the U.S. These requirements do not apply to micro-purchases (\$3,000 or less, except for construction contracts over \$2,000). Contractor shall comply with 49 USC 40118 (the "Fly America" Act) in accordance with General Services Administration regulations 41 CFR 301-10, stating that recipients and subrecipients of Federal funds and their contractors are required to use US Flag air carriers for US Government-financed international air travel and transportation of their personal effects or property, to the extent such service is available, unless travel by foreign air carrier is a matter of necessity, as defined by the Fly America Act. Contractor shall submit, if a foreign air carrier was used, an appropriate certification or memorandum adequately explaining why service by a US flag air carrier was not available or why it was necessary to use a foreign air carrier and shall, in any event, provide a certificate of compliance with the Fly America requirements. Contractor shall include the requirements of this section in all subcontracts that may involve international air transportation.

#### **Buy America Requirements** (Rolling Stock)

Construction Contracts and Acquisition of Goods or Rolling Stock (valued at more than \$100,000).

Contractor shall comply with 49 USC 53230) and 49 CFR 661, as amended by MAP-21 stating that Federal funds may not be obligated unless steel, iron and manufactured products used in FTA-funded projects are produced in the United States, unless a waiver has been granted by FTA or the product is subject to a general waiver. General waivers are listed in 49 CFR 661.7, and include software, microcomputer equipment and small purchases (currently less than \$100,000) made with capital, operating or planning funds. Separate requirements for rolling stock are stated at 53230)(2)(C) and 49 CFR 661.11 and as amended by Map-21 (5325). Rolling stock must be manufactured in the US and have a minimum 60% domestic content and adhere to contract term limitations. A bidder or offeror shall submit appropriate Buy America certification to the recipient with all bids on FTA-funded contracts, except those subject to a general waiver. Proposals not accompanied by a completed Buy America certification shall be rejected as nonresponsive. This requirement does not apply to lower tier subcontractors.

#### Cargo Preference

Contracts involving equipment, materials or commodities which may be transported by ocean vessels.

These requirements do not apply to micro-purchases (\$3,000 or less, except for construction contracts over \$2,000). Contractor shall: a. use privately owned US-Flag commercial vessels to ship at least 50% of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners and tankers) involved, whenever shipping any equipment, material or commodities pursuant to the underlying contract to the extent such vessels are available at fair and reasonable rates for US flag commercial vessels; b. furnish within 20 working days following the loading date of shipments originating within the US or within 30 working days following the loading date of shipments originating outside the US, a legible copy of a rated, "on-board" commercial bill-of-lading in English for each shipment of cargo described herein to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590 and to the recipient (through contractor in the case of a subcontractor's bill-of-lading.); c. include these requirements in all subcontracts issued pursuant to this contract when the subcontract involves the transport of equipment, material or commodities by ocean vessel.

#### **Energy Conservation**

All Contracts except micro-purchases (\$3,000 or less, except for construction contracts over \$2,000) Contractor shall comply with mandatory standards and policies relating to energy efficiency, stated in the state energy conservation plan issued in compliance with the Energy Policy & Conservation Act.

#### Clean Water

All Contracts and Subcontracts over \$100,000

Contractor shall comply with all applicable standards, orders or regulations issued pursuant to the Federal Water Pollution Control Act, as amended, 33 USC 1251 et seq. Contractor shall report each violation to the recipient and understands and agrees that the recipient shall, in turn, report each violation as required to FTA and the appropriate EPA Regional Office. Contractor shall include these requirements in each subcontract exceeding \$100,000 financed in whole or in part with FTA assistance.

#### **Bus Testing**

Contractor [manufacturer] shall comply with 49 USC A5323(c) and FTA's implementing regulation 49 CFR 665, to the extent they are consistent with 49 U.S.C. § 5318(e), as amended; and shall perform the following:

- 1) A manufacturer of a new bus model or a bus produced with a major change in components or configuration shall provide a copy of the final test report to the recipient prior to the recipient's final acceptance of the first vehicle.
- 2) A manufacturer who releases a report under para. 1 above shall provide notice to the operator of the testing facility that the report is available to the public.
- 3) If the manufacturer represents that the vehicle was previously tested, the vehicle being sold should have the identical configuration and major components as the vehicle in the test report, which must be provided to the recipient prior to the recipient's final acceptance of the first vehicle. If configuration or components are not identical, the manufacturer shall provide a description of the change and the manufacturer's basis for concluding that it is not a major change requiring additional testing.
- 4) If the manufacturer represents that the vehicle is "grandfathered" (has been used in mass transit service in the US before Oct. 1, 1988, and is currently being produced without a major change in configuration or components), the manufacturer shall provide the name and address of the recipient of such a vehicle and the details of that vehicle's configuration and major components.

#### **Pre-Award & Post Delivery Audit Requirements**

Pre-Award & Post-Delivery Audit Requirements - Applicability- Rolling Stock/Turnkey

Contractor shall comply with 49 USC 5323(1) and FTA's implementing regulation 49 CFR 663 and submit the following certifications:

- 1) Buy America Requirements: Contractor shall complete and submit a declaration certifying either compliance or noncompliance with Buy America. If contractor certifies compliance with Buy America, it shall submit documentation listing:
- A. Component and subcomponent parts of the rolling stock to be purchased identified by manufacturer of the parts, their country of origin and costs; and
- B. The location of the final assembly point for the rolling stock, including a description of the activities that will take place at the final assembly point and the cost of final assembly.
- C. Solicitation Specification Requirements: Contractor shall submit evidence that it will be capable of meeting the bid specifications.
- D. Federal Motor Vehicle Safety Standards (FMVSS): Contractor shall submit 1) manufacturer's FMVSS self-certification sticker information that the vehicle complies with relevant FMVSS or 2) manufacturer's certified statement that the buses will not be subject to FMVSS regulations.

#### Lobbying

Construction/Architectural and Engineering/Acquisition of Rolling Stock/Professional Service Contract/Operational Service Contract/Turnkey contracts over \$100,000

Byrd Anti-Lobbying Amendment, 31 U.S.C. 1352, as amended by the Lobbying Disclosure Act of 1995, P.L. 104- 65 [to be codified at 2 U.S.C. § 1601, et seq.] - Contractors who apply or bid for an award of \$100,000 or more shall file the certification required by 49 CFR part 20, "New Restrictions on Lobbying." Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Each tier shall also disclose the name of any registrant under the Lobbying Disclosure Act of 1995 who has made lobbying contacts on its behalf with nonfederal funds with respect to that Federal contract, grant or award covered by 31 U.S.C. 1352. Such disclosures are forwarded from tier to tier up to the recipient.

#### Access to Records and Reports

Applicability- As shown below. These requirements do not apply to micro-purchases (\$3,000 or less, except for construction contracts over \$2,000). The following access to records requirements apply to this Contract:

1. Where the purchaser is not a State but a local government and is an FTA recipient or a subgrantee of FTA recipient in accordance with 49 CFR 18.36(i), contractor shall provide the purchaser, the FTA, the US Comptroller General or their authorized representatives access to any books, documents, papers and contractor records which are pertinent to this contract for the purposes of making audits, examinations, excerpts and transcriptions. Contractor shall also, pursuant to 49 CFR 633.17, provide authorized FTA representatives, including any PMO contractor, access to contractor's records and construction sites pertaining to a capital project, defined at 49 USC 5302(a)1, which is receiving FTA assistance through the programs described at 49 USC 5307, 5309 or 5311.

- 2. Where the purchaser is a State and is an FTA recipient or a subgrantee of FTA recipient in accordance with 49 CFR 633.17, contractor shall provide the purchaser, authorized FTA representatives, including any PMO Contractor, access to contractor's records and construction sites pertaining to a capital project, defined at 49 USC 5302(a)1, which receives FTA assistance through the programs described at 49 USC 5307, 5309 or 5311. By definition, a capital project excludes contracts of less than the simplified acquisition threshold currently set at \$100,000.
- 3. Where the purchaser enters into a negotiated contract for other than a small purchase or under the simplified acquisition threshold and is an institution of higher education, a hospital or other non-profit organization and is an FTA recipient or a subgrantee of FTA recipient in accordance with 49 CFR 19.48, contractor shall provide the purchaser, the FTA, the US Comptroller General or their authorized representatives, access to any books, documents, papers and record of the contractor which are directly pertinent to this contract for the purposes of making audits, examinations, excerpts and transcriptions.
- 4. Where a purchaser which is an FTA recipient or a subgrantee of FTA recipient in accordance with 49 USC 5325(a) enters into a contract for a capital project or improvement (defined at 49 USC 5302(a)1) through other than competitive bidding, contractor shall make available records related to the contract to the purchaser, the Secretary of USDOT and the US Comptroller General or any authorized officer or employee of any of them for the purposes of conducting an audit and inspection.
- 5. Contractor shall permit any of the foregoing parties to reproduce by any means whatsoever or to copy excerpts and transcriptions as reasonably needed.
- 6. Contractor shall maintain all books, records, accounts and reports required under this contract for a period of not less than three (3) years after the date of termination or expiration of this contract, except in the event of litigation or settlement of claims arising from the performance of this contract, in which case contractor agrees to maintain same until the recipient, FTA Administrator, US Comptroller General, or any of their authorized representatives, have disposed of all such litigation, appeals, claims or exceptions related thereto. Re: 49 CFR 18.39(i)(11).

FTA does not require the inclusion of these requirements in subcontracts.

#### **Federal Changes**

All Contracts except micro-purchases (\$3,000 or less, except for construction contracts over \$2,000)

Contractor shall comply with all applicable FTA regulations, policies, procedures and directives, including without limitation those listed directly or by reference in the Master Agreement between the purchaser and FTA, as they may be amended or promulgated from time to time during the term of the contract Contractor's failure to comply shall constitute a material breach of the contract.

Clean Air

1) Contractor shall comply with all applicable standards, orders or regulations pursuant to the Clean Air Act, 42 USC

7401 et seq. Contractor shall report each violation to the recipient and understands and agrees that the recipient will, in

turn, report each violation as required to FTA and the appropriate EPA Regional Office.

2) Contractor shall include these requirements in each subcontract exceeding \$100,000 financed in whole or in part with

FTA assistance.

Contract Work Hours & Safety Standards Act

Applicability- Contracts over \$100,000

(1) Overtime requirements - No contractor or subcontractor contracting for any part of the contract work which may

require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any

workweek in which he or she is employed on such work to work in excess of 40 hours in such workweek unless such

laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours

worked in excess of 40 hours in such workweek.

(2) Violation; liability for unpaid wages; liquidated damages - In the event of any violation of the clause set forth in para.

(1) of this section, contractor and any subcontractor responsible therefore shall be liable for the unpaid wages. In addition,

such contractor and subcontractor shall be liable for liquidated damages. Such liquidated damages shall be computed with

respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set

forth in para. (1) of this section, in the sum of \$10 for each calendar day on which such individual was required or

permitted to work in excess of the standard workweek of 40 hours without payment of the overtime wages required by

the clause set forth in paragraph (1) of this section.

(3) Withholding for unpaid wages and liquidated damages - the recipient shall upon its own action or upon written

request of USDOL withhold or cause to be withheld, from any moneys payable on account of work performed by

contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any

other federally-assisted contract subject to the Contract Work Hours & Safety Standards Act, which is held by the same

prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or

subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (2) of this

section.

(4) Subcontracts - Contractor or subcontractor shall insert in any subcontracts the clauses set forth in this section and also

a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. Prime contractor shall be

responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in this section.

No Government Obligation to Third Parties

Applicability- All contracts except micro-purchases (\$3,000 or less, except for construction contracts over \$2,000)

- (1) The recipient and contractor acknowledge and agree that, notwithstanding any concurrence by the US Government in or approval of the solicitation or award of the underlying contract, absent the express written consent by the US Government, the US Government is not a party to this contract and shall not be subject to any obligations or liabilities to the recipient, the contractor, or any other party (whether or not a party to that contract) pertaining to any matter resulting from the underlying contract.
- (2) Contractor agrees to include the above clause in each subcontract financed in whole or in part with FTA assistance. It is further agreed that the clause shall not be modified, except to identify the subcontractor who will be subject to its provisions.

#### Program Fraud and False or Fraudulent Statements or Related Acts

Applicability- All contracts except micro-purchases (\$3,000 or less, except for construction contracts over \$2,000) (1) Contractor acknowledges that the provisions of the Program Fraud Civil Remedies Act of 1986, as amended, 31 USC 3801 et seq. and USDOT regulations, "Program Fraud Civil Remedies," 49 CFR 31, apply to its actions pertaining to this project. Upon execution of the underlying contract, contractor certifies or affirms the truthfulness and accuracy of any statement it has made, it makes, it may make, or causes to be made, pertaining to the underlying contract or FTA assisted project for which this contract work is being performed. In addition to other penalties that may be applicable, contractor further acknowledges that if it makes, or causes to be made, a false, fictitious, or fraudulent claim, statement, submittal, or certification, the US Government reserves the right to impose the penalties of the Program Fraud Civil Remedies Act (1986) on contractor to the extent the US Government deems appropriate.

- (2) If contractor makes, or causes to be made, a false, fictitious, or fraudulent claim, statement, submittal, or certification to the US Government under a contract connected with a project that is financed in whole or in part with FTA assistance under the authority of 49 USC 5307, the Government reserves the right to impose the penalties of 18 USC 1001 and 49 USC 5307(n)(1) on contractor, to the extent the US Government deems appropriate.
- (3) Contractor shall include the above two clauses in each subcontract financed in whole or in part with FTA assistance. The clauses shall not be modified, except to identify the subcontractor who will be subject to the provisions.

#### Termination

Applicability- All Contracts over \$10,000, except contracts with nonprofit organizations and institutions of higher learning, where the threshold is \$100,000

- a. Termination for Convenience (General Provision). The recipient may terminate this contract, in whole or in part, at any time by written notice to contractor when it is in the recipient's best interest. Contractor shall be paid its costs, including contract close-out costs, and profit on work performed up to the time of termination. Contractor shall promptly submit its termination claim to the recipient. If contractor is in possession of any of the recipient's property, contractor shall account for same, and dispose of it as the recipient directs.
- b. Termination for Default [Breach or Cause] (General Provision) If contractor does not deliver items in accordance with the contract delivery schedule, or, if the contract is for services, and contractor fails to perform in the manner called

for in the contract, or if contractor fails to comply with any other provisions of the contract, the recipient may terminate this contract for default. Termination shall be effected by serving a notice of termination to contractor setting forth the manner in which contractor is in default. Contractor shall only be paid the contract price for supplies delivered and accepted, or for services performed in accordance with the manner of performance set forth in the contract.

If it is later determined by the recipient that contractor had an excusable reason for not performing, such as a strike, fire, or flood, events which are not the fault of or are beyond the control of contractor, the recipient, after setting up a new delivery or performance schedule, may allow contractor to continue work, or treat the termination as a termination for convenience.

- c. Opportunity to Cure (General Provision) the recipient in its sole discretion may, in the case of a termination for breach or default, allow contractor an appropriately short period of time in which to cure the defect. In such case, the notice of termination shall state the time period in which cure is permitted and other appropriate conditions. If contractor fails to remedy to the recipient's satisfaction the breach or default or any of the terms, covenants, or conditions of this Contract within ten (10) days after receipt by contractor or written notice from the recipient selling forth the nature of said breach or default, the recipient shall have the right to terminate the Contract without any further obligation to contractor. Any such termination for default shall not in any way operate to preclude the recipient from also pursuing all available remedies against contractor and its sureties for said breach or default.
- d. Waiver of Remedies for any Breach In the event that the recipient elects to waive its remedies for any breach by contractor of any covenant, term or condition of this Contract, such waiver by the recipient shall not limit its remedies for any succeeding breach of that or of any other term, covenant, or condition of this Contract.
- e. Termination for Convenience (Professional or Transit Service Contracts) the recipient, by written notice, *may* terminate this contract, in whole or in part, when it is in the recipient's interest. If the contract is terminated, the recipient shall be liable only for payment under the payment provisions of this contract for services rendered before the effective date of termination.
- f. Termination for Default (Supplies and Service) If contractor fails to deliver supplies or to perform the services within the time specified in this contract or any extension or if the contractor fails to comply with any other provisions of this contract, the recipient *may* terminate this contract for default. The recipient shall terminate by delivering to contractor a notice of termination specifying the nature of default. Contractor shall only be paid the contract price for supplies delivered and accepted, or services performed in accordance with the manner or performance set forth in this contract. If, after termination for failure to fulfill contract obligations, it is determined that contractor was not in default, the rights and obligations of the parties shall be the same as if termination had been issued for the recipient's convenience.
- g. Termination for Default (Transportation Services) If contractor fails to pick up the commodities or to perform the services, including delivery services, within the time specified in this contract or any extension or if contractor fails to comply with any other provisions of this contract, the recipient may terminate this contract for default. The recipient shall terminate by delivering to contractor a notice of termination specifying the nature of default. Contractor shall only be paid the contract price for services performed in accordance with the manner of performance set forth in this contract. If this

contract is terminated while contractor has possession of the recipient goods, contractor shall, as directed by the recipient, protect and preserve the goods until surrendered to the recipient or its agent. Contractor and the recipient shall agree on payment for the preservation and protection of goods. Failure to agree on an amount shall be resolved under the Dispute clause. If, after termination for failure to fulfill contract obligations, it is determined that contractor was not in default, the rights and obligations of the parties shall be the same as if termination had been issued for the recipient's convenience.

h. Termination for Default (Construction) If contractor refuses or fails to prosecute the work or any separable part, with the diligence that will insure its completion within the time specified, or any extension, or fails to complete the work within this time, or if contractor fails to comply with any other provisions of this contract, the recipient *may* terminate this contract for default. The recipient shall terminate by delivering to contractor a notice of termination specifying the nature of default. In this event, the recipient may take over the work and compete it by contract or otherwise, and may take possession of and use any materials, appliances, and plant on the work site necessary for completing the work. Contractor and its sureties shall be liable for any damage to the recipient resulting from contractor's refusal or failure to complete the work within specified time, whether or not contractor's right to proceed with the work is terminated. This liability includes any increased costs incurred by the recipient in completing the work.

Contractor's right to proceed shall not be terminated nor shall contractor be charged with damages under this clause if:

- 1. Delay in completing the work arises from unforeseeable causes beyond the control and without the fault or negligence of contractor. Examples of such causes include: acts of God, acts of the recipient, acts of another contractor in the performance of a contract with the recipient, epidemics, quarantine restrictions, strikes, freight embargoes; and
- 2. Contractor, within 10 days from the beginning of any delay, notifies the recipient in writing of the causes of delay. If in the recipient's judgment, delay is excusable, the time for completing the work shall be extended. The recipient's judgment shall be final and conclusive on the parties, but subject to appeal under the Disputes clauses.

If, after termination of contractors right to proceed, it is determined that contractor was not in default, or that the delay was excusable, the rights and obligations of the parties will be the same as if termination had been issued for the recipient's convenience.

i. Termination for Convenience or Default (Architect & Engineering) the recipient may terminate this contract in whole or in part, for the recipient's convenience or because of contractor's failure to fulfill contract obligations. The recipient shall terminate by delivering to contractor a notice of termination specifying the nature, extent, and effective date of termination. Upon receipt of the notice, contractor shall (1) immediately discontinue all services affected (unless the notice directs otherwise), and (2) deliver to the recipient all data, drawings, specifications, reports, estimates, summaries, and other information and materials accumulated in performing this contract, whether completed or in process. If termination is for the recipient's convenience, it shall make an equitable adjustment in the contract price but shall allow no anticipated profit on unperformed services. If termination is for contractor's failure to fulfill contract obligations, the recipient may complete the work by contact or otherwise and contractor shall be liable for any additional cost incurred by the recipient. If, after termination for failure to fulfill contract obligations, it is determined that contractor

was not in default, the rights and obligations of the parties shall be the same as if termination had been issued for the recipient's convenience.

j. Termination for Convenience or Default (Cost-Type Contracts) the recipient may terminate this contract, or any portion of it, by serving a notice or termination on contractor. The notice shall state whether termination is for convenience of the recipient or for default of contractor. If termination is for default, the notice shall state the manner in which contractor has failed to perform the requirements of the contract. Contractor shall account for any property in its possession paid for from funds received from the recipient, or property supplied to contractor by the recipient. If termination is for default, the recipient may fix the fee, if the contract provides for a fee, to be paid to contractor in proportion to the value, if any, of work performed up to the time of termination. Contractor shall promptly submit its termination claim to the recipient and the parties shall negotiate the termination settlement to be paid to contractor. If termination is for the recipient's convenience, contractor shall be paid its contract close- out costs, and a fee, if the contract provided for payment of a fee, in proportion to the work performed up to the time of termination. If, after serving a notice of termination for default, the recipient determines that contractor has an excusable reason for not performing, such as strike, fire, flood, events which are not the fault of and are beyond the central of contractor, the recipient, after setting up a new work schedule, may allow contractor to continue work, or treat the termination as a termination for convenience.

#### **Government Wide Debarment and Suspension (Non Procurement)**

Applicability- Contracts over \$25,000

This contract is a covered transaction for purposes of 49 CFR Part 29. As such, the contractor is required to verify that none of the contractors, its principals, as defined at 49 CFR 29.995, or affiliates, as defined at 49 CFR 29.905, are excluded or disqualified as defined at 49 CFR 29.940 and 29.945. The contractor is required to comply with 49 CFR 29, Subpart C and must include the requirement to comply with 49 CFR 29, Subpart C in any tower tier covered transaction it enters into. By signing and submitting its bid or proposal, the bidder or proposer certifies as follows:

The certification in this clause is a material representation of fact relied upon by the recipient. If it is later determined that the bidder or proposer knowingly rendered an erroneous certification, in addition to remedies available to the recipient, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment. The bidder or proposer agrees to comply with the requirements of 49 CFR 29, Subpart C while this offer is valid and throughout the period of any contract that may arise from this offer. The bidder or proposer further agrees to include a provision requiring such compliance in its lower tier covered transactions.

#### **Contracts Involving Federal Privacy Act Requirements**

When a grantee maintains files on drug and alcohol enforcement activities for FTA, and those files are organized so that information could be retrieved by personal identifier, the Privacy Act requirements apply to all contracts except micropurchases (\$3,000 or less, except for construction contracts over \$2,000)

The following requirements apply to the Contractor and its employees that administer any system of records on behalf of the Federal Government under any contract:

- (1) The Contractor agrees to comply with, and assures the compliance of its employees with, the information restrictions and other applicable requirements of the Privacy Act of 1974, 5 U.S.C. § 552a. Among other things, the Contractor agrees to obtain the express consent of the Federal Government before the Contractor or its employees operate a system of records on behalf of the Federal Government. The Contractor understands that the requirements of the Privacy Act, including the civil and criminal penalties for violation of that Act, apply to those individuals involved, and that failure to comply with the terms of the Privacy Act may result in termination of the underlying contract.
- (2) The Contractor also agrees to include these requirements in each subcontract to administer any system of records on behalf of the Federal Government financed in whole or in part with Federal assistance provided by FTA.

#### **Civil Rights Requirements**

All contracts except micro-purchases (\$3,000 or less, except for construction contracts over \$2,000) The following requirements apply to the underlying contract:

The Recipient understands and agrees that it must comply with applicable Federal civil rights laws and regulations, and follow applicable Federal guidance, except as the Federal Government determines otherwise in writing. Specifically:

- a. Nondiscrimination in Federal Public Transportation Programs. The Recipient agrees to, and assures that each Third Party Participant will, comply with Federal transit law, 49 U.S.C. § 5332 (FTA's "Nondiscrimination" statute): (1) FTA's "Nondiscrimination" statute prohibits discrimination on the basis of: (a) Race, {b) Color, (c) Religion, {d) National origin, (e) Sex, (f) Disability, or (g) Age, and (2) The FTA "Nondiscrimination" statute's prohibition against discrimination includes: (a) Exclusion from participation, (b) Denial of program benefits, or (c) Discrimination, including discrimination in employment or business opportunity,
- b. Nondiscrimination- Title VI of the Civil Rights Act. The Recipient agrees to, and assures that each Third Party Participant will: (1) Prohibit discrimination based on: (a) Race, (b) Color, or (c) National origin, (2) Comply with: (a) Title VI of the Civil Rights Act of 1964, as amended, 42 U.S.C. § 2000d et seq., {b) U.S. DOT regulations, "Nondiscrimination in Federally-Assisted Programs of the Department of Transportation- Effectuation of Title VI of the Civil Rights Act of 1964," 49 C.F.R. part 21, and (c) Federal transit law, specifically 49 U.S.C. § 5332, as slated in the preceding section a, and (3) Except as FTA determines otherwise in writing, follow: (a) The most recent edition of FTA Circular 4702.1, "Title VI and Title VI-Dependent Guidelines for Federal Transit Administration Recipients," to the extent consistent with applicable Federal laws, regulations, and guidance. (b) U.S. DOJ, "Guidelines for the enforcement of Title VI, Civil Rights Act of 1964," 28 C.F.R. § 50.3, and (c) Other applicable Federal guidance that may be issued,
- c. Equal Employment Opportunity. (1) Federal Requirements and Guidance. The Recipient agrees to, and assures that each Third Party Participant will, prohibit discrimination on the basis of race, color, religion, sex, or national origin, and:
  (a) Comply with Title VII of the Civil Rights Act of 1964, as amended, 42 U.S.C. § 2000e et seq., (b) Facilitate compliance with Executive Order No. 11246, "Equal Employment Opportunity," as amended by Executive Order No. 11375, "Amending Executive Order No. 11246, Relating to Equal Employment Opportunity," 42 U.S.C. § 2000e note, (c) Comply with Federal transit Jaw, specifically 49 U.S.C. § 5332, as stated in section a, and (d) Comply with other

applicable EEO laws and regulations, as provided in Federal guidance, including Jaws and regulations prohibiting discrimination on the basis of disability, except as the Federal Government determines otherwise in writing, (2) General. The Recipient agrees to: (a) Ensure that applicants for employment are employed and employees are treated during employment without discrimination on the basis of their: 1 Race, 2 Color, 3 Religion, 4 Sex, 5 Disability, 6 Age, or 7 National origin, (b) Take affirmative action that includes, but is not limited to: 1 Recruitment advertising, 2 Recruitment, 3 Employment, 4 Rates of pay, 5 Other forms of compensation, 6 Selection for training, including apprenticeship, 7 Upgrading, 8 Transfers, 9 Demotions, 10 Layoffs, and 11 Terminations, and (3) Equal Employment Opportunity Requirements for Construction Activities. In addition to the foregoing, when undertaking "construction" as recognized by the U.S. Department of Labor (U.S. DOL), the Recipient agrees to comply, and assures the compliance of each Third Party Participant, with: (a) U.S. DOL regulations, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity," Department of Labor," 41 C.F.R. chapter 60, and (b) Executive Order No. 11246, "Equal Employment Opportunity," as amended by Executive Order No. 11375, "Amending Executive Order No. 11246, Relating to Equal Employment Opportunity," 42 U.S.C. § 2000e note,

- d. Disadvantaged Business Enterprise. To the extent authorized by applicable Federal law, the Recipient agrees to facilitate, and assures that each Third Party Participant will facilitate, participation by small business concerns owned and controlled by socially and economically disadvantaged individuals, also referred to as "Disadvantaged Business Enterprises" (DBEs), in the Project as follows: (1) Requirements. The Recipient agrees to comply with: (a) Section 1101(b) of MAP-21, 23 U.S.C.§ 101 note, (b) U.S. DOT regulations, "Participation by Disadvantaged Business Enterprises in Department of Transportation Financial Assistance Programs," 49 C.F.R. part 26, and (c) Federal transit Jaw, specifically 49 U.S.C. § 5332, as stated in section a, (2) Assurance. As required by 49 C.F.R. § 26.13(a), the Recipient provides assurance that: The Recipient shall not discriminate on the basis of race, color, national origin, or sex in the award and performance of any DOT-assisted contract or in the administration of its DBE program or the requirements of 49 C.F.R. part 26. The Recipient shall take all necessary and reasonable steps under 49 C.F.R. part 26 to ensure nondiscrimination in the award and administration of DOT-assisted contracts. The Recipient's DBE program, as required by 49 C.F.R. part 26 and as approved by DOT, is incorporated by reference in this agreement. Implementation of this program is a legal obligation and failure to carry out its terms shall be treated as a violation of this agreement. Upon notification to the Recipient of its failure to carry out its approved program, the Department may impose sanctions as provided for under 49 C.F.R. part 26 and may, in appropriate cases, refer the matter for enforcement under 18 U.S.C. § 1001 and/or the Program Fraud Civil Remedies Act of 1986, 31 U.S.C. § 3801 et seq.,
- e. Nondiscrimination on the Basis of Sex. The Recipient agrees to comply with Federal prohibitions against discrimination on the basis of sex, including: (1) Title IX of the Education Amendments of 1972, as amended, 20 U.S.C. § 1681 et seq., (2) U.S. DOT regulations, "Nondiscrimination on the Basis of Sex in Education Programs or Activities Receiving Federal Financial Assistance," 49 C.F.R. part 25, and (3) Federal transit law, specifically 49 U.S.C. § 5332, as stated in section a, f. Nondiscrimination on the Basis of Age. The Recipient agrees to comply with Federal prohibitions against discrimination on the basis of age, including: (1) The Age Discrimination in Employment Act (ADEA), 29 U.S.C. §§621 -634, which prohibits discrimination on the basis of age, (2) U.S. Equal Employment Opportunity Commission (U.S. EEOC) regulations, "Age Discrimination in Employment Act," 29 C.F.R. part 1625, which implements the ADEA, (3) The Age Discrimination Act of 1975, as amended, 42 U.S.C. § 6101 et seq., which prohibits discrimination against individuals on the basis of age in the administration of programs or activities receiving Federal funds, (4) U.S. Health and Human Services regulations, "Nondiscrimination on the Basis of Age in Programs or

Activities Receiving Federal Financial Assistance," 45 C.F.R. part 90, which implements the Age Discrimination Act of 1975, and (5) Federal transit law, specifically 49 U.S.C. § 5332, as stated in section a,

g. Nondiscrimination on the Basis of Disability. The Recipient agrees to comply with the following Federal prohibitions pertaining to discrimination against seniors or individuals with disabilities: (1) Federal laws, including: (a) Section 504 of the Rehabilitation Act of 1973, as amended, 29 U.S.C. § 794, which prohibits discrimination on the basis of disability in the administration of federally funded programs or activities, (b) The Americans with Disabilities Act of 1990 (ADA), as amended, 42 U.S.C. § 12101 et seq., which requires that accessible facilities and services be made available to individuals with disabilities, (c) The Architectural Barriers Act of 1968, as amended, 42 U.S.C.§ 4151 et seq., which requires that buildings and public accommodations be accessible to individuals with disabilities, (d) Federal transit law, specifically 49 U.S.C. § 5332, which now includes disability as a prohibited basis for discrimination, and (e) Other applicable laws and amendments pertaining to access for elderly individuals or individuals with disabilities, (2) Federal regulations, including: (a) U.S. DOT regulations, "Transportation Services for Individuals with Disabilities (ADA)," 49 C.F.R. part 37, (b) U.S. DOT regulations, "Nondiscrimination on the Basis of Disability in Programs and Activities Receiving or Benefiting from Federal Financial Assistance," 49 C.F.R. part 27, (c) U.S. DOT regulations, "Transportation for Individuals with Disabilities: Passenger Vessels," 49 C.F.R. part 39, (d) Joint U.S. Architectural and Transportation Barriers Compliance Board (U.S. ATBCB) and U.S. DOT regulations, "Americans With Disabilities (ADA) Accessibility Specifications for Transportation Vehicles," 36 C.F.R. part 1192 and 49 C.F.R. part 38, (e) U.S. DOJ regulations, "Nondiscrimination on the Basis of Disability in State and Local Government Services," 28 C.F.R. part 35, (f) U.S. DOJ regulations, "Nondiscrimination on the Basis of Disability by Public Accommodations and in Commercial Facilities," 28 C.F.R. part 36, (g) U.S. EEOC, "Regulations to Implement the Equal Employment Provisions of the Americans with Disabilities Act," 29 C.F.R. part 1630, (h) U.S. Federal Communications Commission regulations, Telecommunications Relay Services and Related Customer Premises Equipment for Persons with Disabilities," 47 C.F.R. part 64, Subpart F, (i) U.S. ATBCB regulations, "Electronic and Information Technology Accessibility Standards," 36 C.F.R. part 1194, and U) FTA regulations, "Transportation for Elderly and Handicapped Persons," 49 C.F.R. part 609, and (3) Other applicable Federal civil rights and nondiscrimination guidance,

h. Drug or Alcohol Abuse- Confidentiality and Other Civil Rights Protections. The Recipient agrees to comply with the confidentiality and civil rights protections of: (1) The Drug Abuse Office and Treatment Act of 1972, as amended, 21 U.S.C.§ 1101 et seq., (2) The Comprehensive Alcohol Abuse and Alcoholism Prevention,

Treatment and Rehabilitation Act of 1970, as amended, 42 U.S.C. § 4541 et seq., and (3) The Public Health Service Act, as amended, 42 U.S.C. §§ 290dd-290dd-2,

- i. Access to Services for People with Limited English Proficiency. Except as the Federal Government determines otherwise in writing, the Recipient agrees to promote accessibility of public transportation services to people whose understanding of English is limited by following: 1) Executive Order No. 13166, "Improving Access to Services for Persons with Limited English Proficiency," August 11, 2000, 42 U.S.C. § 2000d-1 note, and (2) U.S. DOT Notice, "DOT Policy Guidance Concerning Recipients' Responsibilities to Limited English Proficiency (LEP) Persons," 70 Fed. Reg. 74087, December 14, 2005,
- j. Environmental Justice. Except as the Federal Government determines otherwise in writing, the Recipient agrees to promote environmental justice by following: (1) Executive Order No.12898, "Federal Actions to Address Environmental

Justice in Minority Populations and Low-Income Populations," February 11, 1994, 42 U.S.C. §4321 note, as well as facilitating compliance with that Executive Order, and (2) DOT Order 5610.2, "Department of Transportation Actions To Address Environmental Justice in Minority Populations and Low-Income Populations," 62 Fed. Reg. 18377, April15, 1997, and (3) The most recent and applicable edition of FTA Circular 4703.1, "Environmental Justice Policy Guidance for Federal Transit Administration Recipients," August 15, 2012, to the extent consistent with applicable Federal laws, regulations, and guidance, and

k. Other Nondiscrimination Laws. Except as the Federal Government determines otherwise in writing, the Recipient agrees to: (1) Comply with other applicable Federal nondiscrimination laws and regulations, and (2) Follow Federal guidance prohibiting discrimination.

I. Contractor shall include these requirements in each subcontract financed in whole or in part with FTA assistance, modified only if necessary to identify the affected parties.

#### **Breaches and Dispute Resolution**

All contracts over \$100,000

Disputes arising in the performance of this contract which are not resolved by agreement of the parties shall be decided in writing by the recipient's authorized representative. This decision shall be final and conclusive unless within ten (10) days from the date of receipt of its copy, contractor mails or otherwise furnishes a written appeal to the recipient's CEO. In connection with such appeal, contractor shall be afforded an opportunity to be heard and to offer evidence in support of its position. The decision of the recipient's CEO shall be binding upon contractor and contractor shall abide by the decision.

Performance During Dispute - Unless otherwise directed by the recipient, contractor shall continue performance under this contract while matters in dispute are being resolved.

Claims for Damages - Should either party to the contract suffer injury or damage to person or property because of any act or omission of the party or of any of his employees, agents or others for whose acts he is legally liable, a claim for damages therefore shall be made in writing to such other party within ten days after the first observance of such injury or damage.

Remedies - Unless this contract provides otherwise, all claims, counterclaims, disputes and other matters in question between the recipient and contractor arising out of or relating to this agreement or its breach will be decided by arbitration if the parties mutually agree, or in a court of competent jurisdiction within the residing State.

Rights and Remedies - Duties and obligations imposed by the contract documents and the rights and remedies available thereunder shall be in addition to and not a limitation of any duties, obligations, rights and remedies otherwise imposed or available by law. No action or failure to act by the recipient or contractor shall constitute a waiver of any right or duty afforded any of them under the contract, nor shall any such action or failure to act constitute an approval of or acquiescence in any breach thereunder, except as may be specifically agreed in writing.

#### **Disadvantaged Business Enterprise**

Contracts over \$3,000 awarded on the basis of a bid or proposal offering to use DBEs

a. This contract is subject to the requirements of Title 49, Code of Federal Regulations, Part 26, Participation by Disadvantaged Business Enterprises in Department of Transportation Financial Assistance Programs. The national goal for participation of Disadvantaged Business Enterprises (DBE) is 10%. The recipient's overall goal for DBE participation is listed elsewhere. If a separate contract goal for DBE participation has been established for this procurement, it is listed elsewhere.

b. The contractor shall not discriminate on the basis of race, color, religion, national origin or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of this contract. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the municipal corporation deems appropriate. Each subcontract the contractor signs with a subcontractor must include the assurance in this paragraph (see 49 CFR 26.13(b)).

c. If a separate contract goal has been established, Bidders/offerors are required to document sufficient DBE participation to meet these goals or, alternatively, document adequate good faith efforts to do so, as provided for in 49 CFR 26.53.

d. If no separate contract goal has been established, the successful bidder/offeror will be required to report its DBE participation obtained through race-neutral means throughout the period of performance.

e. The contractor is required to pay its subcontractors performing work related to this contract for satisfactory performance of that work no later than 30 days after the contractor's receipt of payment for that work from the recipient. In addition, the contractor may not hold retainage from its subcontractors or must return any retainage payments to those subcontractors within 30 days after the subcontractor's work related to this contract is satisfactorily completed or must return any retainage payments to those subcontractors within 30 days after incremental acceptance of the subcontractor's work by the recipient and contractor's receipt of the partial retainage payment related to the subcontractor's work.

f. The contractor must promptly notify the recipient whenever a DBE subcontractor performing work related to this contract is terminated or fails to complete Its work, and must make good faith efforts to engage another DBE subcontractor to perform at least the same amount of work. The contractor may not terminate any DBE subcontractor and perform that work through its own forces or those of an affiliate without prior written consent of the recipient.

#### **Prompt Payment**

Applicability – All contracts except micro-purchases (\$3,000 or less, except for construction contracts over \$2,000)

The prime contractor agrees to pay each subcontractor under this prime contract for satisfactory performance of its contract no later than 30 days from the receipt of each payment the prime contract receives from the Recipient. The prime contractor agrees further to return retainage payments to each subcontractor within 30 days after the subcontractors' work is satisfactorily completed. Any delay or postponement of payment from the above referenced

time frame may occur only for good cause following written approval of the Recipient. This clause applies to both DBE and non-DBE subcontracts.

#### Incorporation of Federal Transit Administration (FTA) Terms

All contracts except micro-purchases (\$3,000 or less, except for construction contracts over \$2,000)

The preceding provisions include, in part, certain Standard Terms & Conditions required by USDOT, whether or not expressly stated in the preceding contract provisions. All USDOT-required contractual provisions, as stated in FTA Circular 4220.1F, are h' hereby incorporated by reference. Anything to the contrary herein notwithstanding, all FTA mandated terms shall be deemed to control in the event of a conflict with other provisions contained in this Agreement. The contractor shall not perform any act, fail to perform any act, or refuse to comply with any request that would cause the recipient to be in violation of FTA terms and conditions.

#### **Other Federal Requirements**

The following requirements are not federal clauses.

#### **Full and Open Competition**

In accordance with 49 U.S.C. § 5325(a) all procurement transactions shall be conducted in a manner that provides full and open competition.

#### Prohibition against Exclusionary or Discriminatory Specifications

Apart from inconsistent requirements imposed by Federal statute or regulations, the contractor shall comply with the requirements of 49 USC 5323(h)(2) by refraining from using any FTA assistance to support procurements using exclusionary or discriminatory specifications.

#### **Conformance with ITS National Architecture**

Contractor shall conform, to the extent applicable, to the National Intelligent Transportation Standards architecture, as required by SAFETEA-LU Section 5307(c), 23 U.S.C. Section 512 and as amended by MAP-21 23 U.S.C. §517(d), note and follow the provisions of FTA Notice, "FTA National Architecture Policy on Transit Projects," 66 Fed. Reg.1455 et seq., January 8, 2001, and any other implementing directives FTA may issue at a later date, except to the extent FTA determines otherwise in writing.

#### Access Requirements for Persons with Disabilities

Contractor shall comply with 49 USC 5301(d), stating Federal policy that the elderly and persons with disabilities have the same rights as other persons to use mass transportation services and facilities and that special efforts shall be made in planning and designing those services and facilities to implement that policy. Contractor shall also comply with all applicable requirements of Sec. 504 of the Rehabilitation Act (1973), as amended, 29 USC 794, which prohibits discrimination on the basis of handicaps, and the Americans with Disabilities Act of 1990 (ADA), as amended, 42 USC 12101 et seq., which requires that accessible facilities and services be made available to persons with disabilities, including any subsequent amendments thereto.

#### **Notification of Federal Participation**

To the extent required by law, in the announcement of any third party contract award for goods and services (including construction services) having an aggregate value of \$500,000 or more, contractor shall specify the amount of Federal assistance to be used in financing that acquisition of goods and services and to express that amount of Federal assistance as a percentage of the total cost of the third party contract.

#### **Interest of Members or Delegates to Congress**

No members of, or delegates to, the US Congress shall be admitted to any share or part of this contract nor to any benefit arising therefrom.

#### **Ineligible Contractors and Subcontractors**

Any name appearing upon the Comptroller General's list of ineligible contractors for federally-assisted contracts shall be ineligible to act as a subcontractor for contractor pursuant to this contract. If contractor is on the Comptroller General's list of ineligible contractors for federally financed or assisted construction, the recipient shall cancel, terminate or suspend this contract.

#### **Other Contract Requirements**

To the extent not inconsistent with the foregoing Federal requirements, this contract shall also include those provisions attached hereto, and shall comply with the recipient's Procurement Guidelines, available upon request from the recipient.

#### **Compliance with Federal Regulations**

Any contract entered pursuant to this solicitation shall contain the following provisions: All USDOT-required contractual provisions, as set forth in FTA Circular 4220.1F, are incorporated by reference. Anything to the contrary herein notwithstanding, FTA mandated terms shall control in the event of a conflict with other provisions contained in this Agreement. Contractor shall not perform any act, fail to perform any act, or refuse to comply with any grantee request that would cause the recipient to be in violation of FTA terms and conditions. Contractor shall comply with all applicable FTA regulations, policies, procedures and directives, including, without limitation, those listed directly or incorporated by reference in the Master Agreement between the recipient and FTA, as may be amended or promulgated from time to time during the term of this contract. Contractor's failure to so comply shall constitute a material breach of this contract.

#### **Real Property**

Any contract entered into shall contain the following provisions: Contractor shall at all times comply with all applicable statutes and USDOT regulations, policies, procedures and directives governing the acquisition, use and disposal of real property, including, but not limited to, 29 CFR 18.31, 49 CFR 24 Subpart B, FTA Circular 5010.1D, and FTA Master Agreement, as they may be amended or promulgated during the term of this contract. Contractor's failure to so comply shall constitute a material breach of this contract.

#### Access to Services for Persons with Limited English Proficiency

To the extent applicable and except to the extent that FTA determines otherwise in writing, the Recipient agrees to comply with the policies of Executive Order No. 13166, "Improving Access to Services for Persons with Limited English Proficiency," 42 U.S.C. § 2000d 1 note, and with the provisions of U.S. DOT Notice, "DOT Guidance to Recipients on Special Language Services to Limited English Proficient (LEP) Beneficiaries," 70 Fed. Reg. 74087, December 14, 2005.

#### **Environmental Justice**

The Recipient agrees to comply with the policies of Executive Order No. 12898, "Federal Actions to Address Environmental Justice in Minority Populations and Low Income Populations," 42 U.S.C. § 4321 note, except to the extent that the Federal Government determines otherwise in writing.

#### **Environmental Protections**

Compliance is required with any applicable Federal laws imposing environmental and resource conservation requirements for the project. Some, but not all, of the major Federal laws that may affect the project include: the National Environmental Policy Act of 1969; the Clean Air Act; the Resource Conservation and Recovery Act; the comprehensive Environmental response, Compensation and Liability Act; as well as environmental provisions with Title 23 U.S.C., and 49 U.C. chapter 53. The U.S. EPA, FHWA and other federal agencies may issue other federal regulations and directives that may affect the project. Compliance is required with any applicable Federal laws and regulations in effect now or that become effective in the future.

#### Geographic Information and Related Spatial Data

Any project activities involving spatial data or geographic information systems activities financed with Federal assistance are required to be consistent with the National Spatial Data Infrastructure promulgated by the Federal Geographic Data Committee, except to the extent that FTA determines otherwise in writing.

#### **Geographic Restrictions**

The Recipient agrees that it will not use any State or local geographic preferences, except: (1) A preference expressly mandated by applicable Federal law, or (2) A preference permitted by FTA; for example, a contractor's geographic location may be a selection criterion for a Recipient that is procuring architectural engineering or related services, provided that a sufficient number of qualified firms are eligible to compete for that contract, or (3) As provided in section 418 of the Consolidated and Further Continuing Appropriations Act, 2015, Public Law No. 113-235, December 15, 2014, geographic preferences in construction hiring are protected from enforcement under former 49 CFR § 18.36(c)(2), in accordance with any applicable federal regulations, requirements, and guidance and as implemented by FTA.

#### **Organizational Conflicts of Interest**

The Recipient agrees that it will not enter into a procurement that involves a real or apparent organizational conflict of interest described as follows: (1) When It Occurs. An organizational conflict of interest occurs when the Project work, without appropriate restrictions on certain future activities, results in an unfair competitive advantage: (a) To that Third Party Participant or another Third Party Participant performing the Project work, and (b) That impairs that Third Party Participant's objectivity in performing the Project work, or (2) Other. An organizational conflict of

interest may involve other situations resulting in fundamentally unfair competitive conditions, (3) Disclosure Requirements. Consistent with FTA policies, the Recipient must disclose to FTA, and each of its Subrecipients must disclose to the Recipient: (a) Any instances of organizational conflict of interest, or (b) Violations of federal criminal law, involving fraud, bribery, or gratuity violations potentially affecting the federal award, and (4) Failure to Disclose. Failure to make required disclosures can result in remedies for noncompliance, including debarment or suspension.

Federal Single Audit Requirements for State Administered Federally Aid Funded Projects Only Non Federal entities that expend \$500,000 or more in a year in Federal awards from all sources are required to comply with the Federal Single Audit Act provisions contained in U.S. Office of Management and Budget (OMB) Circular No. A 133, Audits of States, Local Governments, and Non Profit Organizations. Non Federal entities that expend Federal awards from a single source may provide a program specific audit, as defined in the Circular. Non Federal entities that expend less than \$500,000 in a year in Federal awards from all sources are exempt from Federal audit requirements for that year, except as noted in '3052.215(a), but records must be available for review or audit by 'appropriate officials of the Federal and State agencies.

#### Catalog of Federal Domestic Assistance (CFDA) Identification Number

The municipal project sponsor is required to identify in its accounts all Federal awards received and expended, and the Federal programs under which they were received. Federal program and award identification shall include, as applicable, the CFDA title and number, award number and year, name of the Federal agency, and name of the pass through entity.

#### CFDA number for the Federal Transportation Administration

A Recipient covered by the Single Audit Act Amendments of 1996 and OMB Circular A-133, "Audits of States, Local Governments, and Non-Profit Organizations," agrees to separately identify the expenditures for. Federal awards under the Recovery Act on the Schedule of Expenditures of Federal Awards (SEFA) and the Data Collection Form (SF-SAC) required by OMB Circular A-133. The Recipient agrees to accomplish this by identifying expenditures for Federal awards made under Recovery Act separately on the SEFA, and as separate rows under Item 9 of Part III on the SF-SAC by CFDA number, and inclusion of the prefix "ARRA" in identifying the name of the Federal program on the SEFA and as the first characters in line 9d of Part III on the SF-SAC.

# STANDARD BID FORM (Approved by City Attorney, 1995)

PROJECT IDENTIFICATION: City of Casper

2016 Transit Bus Acquisition Project No. MPO 16-01B2

THIS BID SUBMITTED TO: City of Casper

200 North David Street Casper, Wyoming 82601

- 1. The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with the City in the form included in the Bidding Documents and to complete all Work as specified or indicated in the Bidding Documents for the Contract Price according to the following schedule:
  - A. Phase I delivery (two buses): 180 days after the release of chassis. The Bidder will submit to the City documentation from the manufacturer indicating the date that chassis were released and which establishes the final completion date.
  - B. Phase II (two buses) delivery will be due **no sooner** than six months after the date of delivery of Phase I products. Phase II delivery is subject to the same 180 day completion upon release of the chassis.
- 2. Liquidated Damages. Owner and Contractor recognize that time is of the essence of this Agreement and that Owner will suffer financial loss if the Work is not substantially completed by the time specified above, plus any extension thereof allowed. They also recognize the delays, expense, and difficulties involved in proving in a legal or arbitration proceeding the actual loss suffered by Owner if the Work is not completed on time. Accordingly, instead of requiring any such proof, Owner and Contractor agree that as liquidated damages for delay (but not as a penalty) Contractor shall pay Owner Twenty-Five Dollars (\$25.00) per vehicle for each day that expires after the time specified in Paragraph 1.A and 1.B. Failure of the Contractor to acknowledge the date of vehicle chassis release (evidenced by written proof from the chassis manufacturer) shall result in liquidated damages (but not as a penalty) in which Contractor shall pay Owner an additional Twenty-Five Dollars (\$25.00) per vehicle per day. It is further agreed that such liquidated damages are not a penalty, but represent the parties' best estimate of actual damages. The sum total of liquidated damages shall be subtracted from the total price of the contract. The total amount of such liquidated damages shall not exceed 5% of the total contract price.

		The 5% cap on liquidated damages listed under Paragraph 2 above does not include the bid bond.				
3.	Bidder accepts all of the terms and conditions of the Advertisement for Bids and Instructions to Bidders, including without limitation those dealing with the disposition of Bid Guaranty. This Bid will remain effective for thirty (30) days after the day of Bid opening. Bidder will sign the Agreement and submit the Bonds and other documents required by the Bidding Documents within thirty (30) days after the date of the City's Notice of Award.					
4.	In sul	In submitting this Bid, Bidder represents, as more fully set forth in the Bidding Documents, that:				
	A.	Bidder has examined copies of all the Bidding Documents and of the following addenda (receipt of all which is hereby acknowledged):				
		Addendum No.       Dated         Addendum No.       Dated         Addendum No.       Dated         Addendum No.       Dated				
	В.	Bidder has thoroughly examined the specifications, the federal, state, and local Laws and Regulations, and the conditions affecting cost, progress, or performance of the work and has made such independent investigations as Bidder deems necessary;				
	C.	This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm, corporation, or other business entity. Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid. Bidder has not solicited or induced any person, firm, or a corporation to refrain from bidding. Bidder has not sought by collusion to obtain for itself any advantage over any other Bidder or against the City.				
5.	stated	er is bidding all schedules, alternates, if any, and will complete the Work for unit price(s) d on the attached bid schedule based on materials actually furnished and installed and ces actually provided. The Bid is summarized below on the basis of estimated quantities:				
	TOT	TOTAL BASE BID, IN NUMERALS: \$				
	TOT	AL BASE BID, IN WORDS:DOLLAR	RS.			

6. Bidder agrees that the work for the City will be as provided above.

TOTAL BASE BID PER BUS, IN NUMERALS: \$_____

1.	be required by the City.		
8.	The following documents are attached to and made a condition of this Bid:		
	A.	Required Bid Guaranty in the form of a Bid Bond. (Unless otherwise provided by the City.)	
	B.	Itemized Bid Schedule.	
9.	Communications concerning this Bid shall be addressed to:		
		Address of Bidder:	
10.	The terms used in this Bid are defined in and have the meanings assigned to them in the General Conditions, except as provided in the Supplementary Conditions and Bidding Documents.		
	Submit	tted on, 2016.	

IF BIDDER IS:		
AN INDIVIDUAL		
Ву:	(Individual's Name)	(seal_
doing business as:		
Business Address:		
Phone Number:		
<u>A PARTNERSHIP</u>		
Ву:	(Firm's Name)	(seal
	(General Partner)	
Business Address:		
Phone Number:		

## A CORPORATION OR LIMITED LIABILITY COMPANY

By:		(seal)
	(Corporation's or Limited Liability Company's Name)	
	(State of Incorporation or Organization)	
Ву:		(seal)
(Title)		
(Seal)		
Attest:		
Business Address:		
Phone Number:		
A JOINT VENTURE		
Ву:	(Name)	(seal)
	(Address)	
Ву:	(Name)	(seal)
	(Address)	

(Each joint venturer must sign. The manner of signing for each individual, partnership, and corporation that is a party to the joint venture should be in the manner indicated above.)

## STANDARD BID BOND

(Approved by City Attorney, 1995)

KNOW ALL MEN BY THESE PRESENTS, that we, the undersigned,
as Principal, and
as Surety, are hereby held and firmly bound, pursuant to Wyoming Statute Section 15-1-113, unto the
City of Casper, Wyoming, a Municipal Corporation as OWNER, in the penal sum of
Dollar(s) (\$) for the
payment of which, well and truly to be made, we hereby jointly and severally bind ourselves, successors
and assigns, which represents five percent (5%) of the Principal's Total Base Bid.
The Condition of the above obligation is such that whereas the Principal has submitted to the City of
Casper, Wyoming, a certain BID, whereby it has offered to enter into an Agreement in writing with
OWNER, for the MPO 16-01B2 Transit Bus Acquisition.
NOW, THEREFORE,
A. If said BID shall be rejected; or,
B. If said BID shall be accepted and the Principal shall execute and deliver the Agreement to
OWNER within thirty (30) days after Notice of Award (which shall constitute presentation of the
Agreement to the Principal for the purpose of execution) and shall furnish Guarantors as provided in the
Bidding Documents for this Project for Principal's faithful performance of said Agreement and for the
payment of all persons performing labor or furnishing materials in connection therewith, and shall
otherwise proceed with the performance of said Agreement, then this obligation shall be void, otherwise
the same shall remain in full force and effect and OWNER may proceed against the BOND. It is
expressly understood and agreed, however, that the liability of Surety for any and all claims hereunder
shall, in no event, exceed the penal amount of this obligation as herein stated.
The Surety, for value received, hereby stipulates and agrees that the obligations of said Surety and its
BOND shall be in no way impaired or affected by an extension of the time within which the OWNER
may accept such BID, to a maximum of ninety (90) days after its submission to OWNER; and said Surety
does hereby waive notice of any such extension.
IN WITNESS WHEREOF, the Principal and the Surety have hereunto set their hands and seals, and such
of them as are corporations have caused their corporate seals to be hereto affixed and these presents to be
signed by their proper officers, this day of, 20

Attest:		Principal (Corporation, Partnership, Individual)	
		By:	
Secretary or Authorized Witness			horized Representative)
(Seal)			
			(Print or Type Name)
			Address
			Address
State of			
Communication	)ss.		
County of	)		
The foregoing	Bid Bond was exe	cuted before	me by,
on behalf of			
		Nota	ry Public
My Commission Expir	res:		
			Caracter
			Surety
			BY:
			Attorney-in-Fact for Surety
			·
			Address
State of	)		
State 01	) ss.		
County of			
The foregoing	Bid Bond was exe	cuted before	me by, who represented ned Surety, this day of, 2016.
that he/she was the Att	torney-in-Fact for t	ne above nar	ned Surety, this, day of, 2016.
			Notary Public
My Commission Expir	res:		······ <b>y</b> =

## NON-COLLUSION STATEMENT

	, being first duly sworn, deposes and says that:	
1.	He/she is the	
	(owner, partner, officer, agent, representative, etc.)	
	of, the bidder that	
	has submitter the financial bid.	
2.	He/she is fully informed respecting the preparation and contents of the attached Bid, and of all pertinent circumstances respecting such bid; and,	
3.	Such bid is genuine and is not a collusive or sham bid; and,	
<ol> <li>4.</li> <li>5.</li> </ol>	employees, or parties in interest, including this affiant, has in any way colluded, conspired, connived or agreed, directly or indirectly, with other Bidder, firm, or person to submit a collusion or sham Bid in connection with the Contract for which the attached Bid has been submitted, or to refrain from bidding in connection with such Contract, or has in any manner, directly or indirectly, south by agreement or collusion, communication, or conference with any other Bidder, firm, or person to fix price or prices in attached Bid, or of any other Bidder, or to secure through any collusion, conspiracy, connivance, or unlawful agreement any advantage against the City of Casper, Wyoming, or any person interested in the proposed contract, and;	
Signed	<b>:</b>	
Signed	(Name) (Title)	
Subscr	ibed and sworn before me this day of, 20	
Signed	:	
	Name	
	Title	
Му сог	nmission expires:	

#### CERTIFICATION OF RESTRICTIONS ON LOBBYING

The Contractor certifies, to the best of his or her knowledge and belief, that:

- 1. No Federal appropriated funds have been paid or shall be paid, by or on behalf of the Contractor, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal Contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- 2. If any funds other than Federal appropriated funds have been paid or shall be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal Contract, grant, loan, or cooperative agreement, the Contractor shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.
- 3. The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients of contracts over \$100,00 shall certify and disclose accordingly.

This certification is a material representation of the fact upon which reliance is placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by Section 1352, Title 31, U.S. Code. Any person who fails to file the required certification shall be subject to civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

DATE.		
DATE:		
SIGNATURE:		
NAME:		

# PRE-AWARD FEDERAL MOTOR VEHICLE SAFETY STANDARDS COMPLIANCE CERTIFICATION

As required by	C.F.R Title 49, Part 663, S	Subpart D.,	
			hereby certifies that the
	(Name of Firm)		
all applicable F	ederal Motor Vehicle Safe		or transit purposes and comply with National Highway Traffic Safety 571 in effect on the date of
By:			
Title:			
Date:			

## CERTIFICATION OF COMPLIANCE WITH THE AMERICANS WITH DISABILITIES ACT

	certifies that all vehicles manufactured
and delivered to the City of Casper s 49 CFR 38.	hall be in full compliance with the Americans with Disabilities Act
Signature:	
Title:	
Date:	

#### TRANSIT VEHICLE MANUFACTURER (TVM) CERTIFICATION

Pursuant to the provisions of Section 105(f) of the Surface Transportation Assistance Act of 1982, each bidder for this contract must certify that it has complied with the requirements of 49 CFR Part 26.49 regarding the participation of Disadvantaged Business Enterprises (DBE) in FTA assisted procurements of transit vehicles. Absent this certification, properly completed and signed, a bid shall be deemed non-responsive.

Certification:

Certification:					
I hereby certify, for the bidder named below, that it has complied with the provisions of 49 CFR Part					
26.49 and that I am duly author	ized by said bidder to make this certification.				
DIDDED/GOMDANN/					
BIDDER/COMPANY					
Name of Bidder/Company:					
Signature of Representative:					
Type or Print Name:					
Title:					
Date:					
NOTARY					
NOTAKI					
Type or Print Name:					
Type of Filmer tunio.		-			
Signature:		-			
Place Notary SEAL here:					

#### **BUS TESTING CERTIFICATION**

The undersigned bidder certifies that the vehicle model or vehicle models offered in this bid submission complies with 49 CFR Part 665.

A copy of the test report (for each bid ITEM) prepared by the Federal Transit Administration's (FTA) Altoona, Pennsylvania Bus Testing Center is attached to this certification and is a true and correct copy of the test report as prepared by the facility.

The undersigned understands that misrepresenting the testing status of a vehicle acquired with Federal financial assistance may subject the undersigned to civil penalties as outlined in the U.S. Department of Transportation's regulation on Program Fraud Civil Remedies, 49 CFR Part 31. In addition, the undersigned understands that FTA may suspend or debar a manufacturer in 49 CFR Part 29.

Name of Bidder/Company		
Trains of Brows, company	-7	
Towns Died Mana		
Type or Print Name		
Signature of Authorized Repres	sentative	
Signature of Notary and SE	EAL	
Signature of Frotally and Si	3. 12	
	Date of signature: / /	

#### GOVERNMENT-WIDE DEBARMENT AND SUSPENSION CERTIFICATION

In conjunction with the Office of Management and Budget and other affected Federal agencies, DOT published an update to 49 CFR Part 29 on November 26, 2003. This government-wide regulation implements Executive Order 12549, Debarment and Suspension, Executive Order 12689, Debarment and Suspension, and 31 U.S.C. 6101 note (Section 2455, Public Law 103-355, 108 Stat 3327).

The provisions of Part 29 apply to all grantee contracts and subcontracts at any level expected to equal or exceed \$25,000 as well as any contract or subcontract (at any level) for Federally required auditing services. 49 CFR 29.220(b). This represents a change from prior practice in that the dollar threshold for application of these rules has been lowered from \$100,000 to \$25,000. These are contracts and subcontracts referred to in the regulation as "covered transactions."

Grantees, contractors, and subcontractors (at any level) that enter into covered transactions are required to verify that the entity (as well as its principals and affiliates) they propose to contract or subcontract with is not excluded or disqualified. They do this by (a) Checking the SAM.gov database, (b) Collecting a certification from that person, or (c) Adding a clause or condition to the contract or subcontract. This represents a change from prior practice in that certification is still acceptable but is no longer required. 49 CFR 29.300.

Grantees, contractors, and subcontractors who enter into covered transactions also must require the entities they contract with to comply with 49 CFR 29 subpart C and include this requirement in their own subsequent covered transactions (i.e., the requirement flows down to subcontracts at all levels).

<u>Instructions for Certification</u>: By signing and submitting this bid or proposal, the prospective lower tier participant is providing the signed certification set out below.

#### Suspension and Debarment

This contract is a covered transaction for purposes of 49 CFR Part 29. As such, the contractor is required to verify that none of the contractor, its principals, as defined at 49 CFR 29.995, or affiliates, as defined at 49 CFR 29.905, are excluded or disqualified as defined at 49 CFR 29.940 and 29.945.

The contractor is required to comply with 49 CFR 29, Subpart C and must include the requirement to comply with 49 CFR 29, Subpart C in any lower tier covered transaction it enters into.

By signing and submitting its bid or proposal, the bidder or proposer certifies as follows:

The certification in this clause is a material representation of fact relied upon by the recipient, If it is later determined that the bidder or proposer knowingly rendered an erroneous certification, in addition to remedies available to the recipient, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment. The bidder or proposer agrees to comply with the requirements of 49 CFR 29, Subpart C while this offer is valid and throughout the period of the contract that *may* arise from this offer. The bidder or proposer further agrees to include a provision requiring such compliance in its lower tier covered transactions.

Contractor:	
Signature of Authorized Official:	
Date:	
Name and Title:	

### ***SELECT ONE CERTIFICATION***

# COMPLIANCE WITH BUY AMERICA AND FMVSS ROLLING STOCK REQUIREMENTS

The bidder or offeror hereby certifies that it will comply with the requirements of 49 U.S.C. 5323 (j), and the applicable regulations of 49 CFR 661.11

Company:		
Name:	Title:	
Signature:	Date:	
NON-	COMPLIANCE WITH BUY AMERICA AND FMVSS	
	ROLLING STOCK REQUIREMENTS	
	reby certifies that it cannot comply with the requirements of 49 U.S.C. 532 (ception to the requirement consistent with 49 U.S.C. 5323(j)(2)(C), and the third that the tension of the requirement consistent with 49 U.S.C. 5323(j)(2)(C), and the third tension of the tension of	
Company:		
Name:	Title:	

Date: _____

Signature:

# **Future Purchase Options**

As part of this contract, the Contractor also allows for the purchase of additional and identical vehicles to be purchased on a schedule determined solely by the City (four additional, identical buses over four years). The future purchase price for any future vehicles shall be based on the Producer Price Index NAICS Code 336120 "Heavy duty truck over 14,001 GVW" with a base value of 151.8 (Bureau of Labor Statistics Preliminary number, January 2016).

# **Other Required Documents**

All bidders must submit the following items with their bid:

- 1. Copies of five purchase orders or contracts and other project files for **similar** size (plus or minus 2,000 GVW) of any make or model for other **government agencies** completed no longer than twelve (12) months prior to the bid opening date. Purchase orders need not be for the exact vehicle model being bid. These documents must include:
  - a. Date of contract/P.O. execution
  - b. Contracted date of delivery
  - c. Type of vehicle(s) purchased
  - d. Cost per vehicle
  - e. Total contract/P.O. cost
  - f. Date of vehicle delivery
  - g. Purchasing Agency's contact information, including name, email, and phone number

### References

All bidders must submit at least three and no more than five references. **Please ensure that references** are still employed by that organization prior to submitting their name, organization, phone number, and email address. Failure to provide a reference or failure to include accurate contact information will result in the rejection of the bid. The City reserves the right to contact any reference or any client listed in the documents for information which may be helpful in evaluating the Bidder's performance on previous projects. The City is not obligated to share content of any discussions with former clients with Bidders. Conversations with the referenced clients are considered confidential.

# Warranty Arrangements

The City requests a list of vendors who are authorized to complete warranty repairs for these vehicles in the Casper market area. Please include, in a separate letter, the name and contact information for vendors for all warranted components of the buses.

# **Part IV: Protest Procedures**

# City of Casper Protest Procedures Relevant to Procurements using FTA Funds

#### Part I – Protest to City

- 1. Protests regarding pre-award, award, and post-award phases of the procurement process, including, but not limited to, requests for proposals (RFP), receipt of specifications, sealed bid, and contract award and implementation, must be filed, in writing, with the City Manager or his designee.
- 2. Pre-award protests must be filed at least two (2) days prior to the closing date for receipt of bids. Award and post-award protests must be filed no later than two (2) days after the bid opening. Preliminary protest shall be accepted as long as additional supporting material follows within two days after bid opening.
- 3. The protestor shall submit a copy of the filed protest to the entity that prepared the document on which the protest is based; i.e., the specifications, RFP, contract, contract implementation, or other.

#### 4. The protest shall:

- a. Include the name and address of the protestor
- b. Identify the origination entity, project, and information relating to contract solicitation
- c. Contain an explicit statement of the grounds for the protest and any possible supporting documentation.
- 5. The City Manager or his designee shall review the protest and any relevant documentation. The protest, all relevant documentation, and any decisions shall constitute the record.
- 6. Such review shall be held within five days of the filing of the protest. The City Manager shall inform the protestor of his/her decision in writing within ten days of the decision. Such decision shall provide at least a general response to each material issue raised in the protest.
- 7. If the City Manager decides the protest is valid, he or she shall prepare a recommendation that all bids may be rejected or the low bid may be rejected and the bid awarded to the next responsible low bidder.
- 8. The decision of the City Manager may be appealed to the City Council. Appeals to the Council shall be made in writing ten days after the Manager's decision. The decision of the Council shall be considered final. The Council shall notify the appellant, in writing, of its decision within five days of the decision.
- 9. The City shall not award a contract for five days following the decision on a bid protest except as provided in Section II(7). After five days, the City shall confirm with FTA that FTA has not received a protest on the contract in question.
- 10. If the Council decides the protest is not valid and no protest has been filed with FTA within five days, the bid award will continue according to normal procedures.

#### Part II – Protest to FTA

- 1. Pursuant to FTA Circular 4220.1f, FTA may entertain a protest that alleges that the grantee failed to adopt or follow an adopted written protest procedure.
- 2. A protest must be filed with the appropriate FTA Regional Office, with a concurrent copy to the City, not later than five days after the City renders a final decision under the City's protest procedure, or five days after the protestor knew or should have known of the City's failure to render a final decision on the protest.
- 3. The protest filed with FTA shall:
  - a. Include the name and address of the protestor
  - b. Identify the grantee, project number, and the number of the contract solicitation
  - c. Contain a statement of the grounds for protest and any supporting documentation. This should detail the alleged failure to follow protest procedures or the alleged failure to have procedures, and be fully supported to the extent possible
  - d. Include a copy of the local protest filed with the grantee and a copy of the grantee's decision, if any.
- 4. FTA shall notify the grantee in a timely manner of the receipt of a protest. FTA shall instruct the grantee to notify the contractor of the protest if award has been made, or if no award has been made, to notify all interested parties. The grantee shall instruct all who receive such notice that they may communicate further directly with FTA.
- 5. The grantee shall submit the following information no later than ten days after receipt of notification by FTA of the protest:
  - a. A copy of the grantee's protest procedure
  - b. A description of the process followed concerning the protestor's protest
  - c. Any supporting documentation
- 6. The grantee shall provide the protestor with a copy of the above submission. The protestor must submit any comments on the grantee's submission no later than ten days after the protestor's receipt of the grantee's submission.
- 7. When a protest has been timely filed with the City before award, the City will not make an award prior to five days after the resolution of the protest, or if a protest has been filed with FTA, during the pendency of that protest, unless the City determines that:
  - a. The item(s) to be procured are urgently needed
  - b. Delivery or performance will be unduly delayed by failure to make the award
  - c. Failure to make prompt award will otherwise cause undue harm to the grantee or the federal government
  - d. Failure to make prompt delivery will otherwise significantly increase the price of the purchase

Upon receipt of the submissions, FTA will either request further information or a conference among the parties, or will render a decision on the protest.

### Exhibit A – Paint Scheme

***Note: these images are for <u>paint</u> reference only and may not reflect other specifications listed in the bid documents ***

Call Marge at (307) 265-1313 questions regarding paint scheme or layout.

Vehicles shall be white.



Lettering on the rear of bus will be as follows:

"Operated by CATC 265-1313" - Black lettering

"Owned by the City of Casper" - black lettering

"Bus stops at all railroad crossings" – Minimum 5" Red Lettering

"Bus makes frequent stops" – Minimum 5" Red Lettering





# **Exhibit B – Seating Configuration**

***Note: these images are for <u>seating</u> reference only and may not reflect other specifications listed in the bid documents***

ALL WHEELCHAIR SEATS ON DRIVER'S SIDE ARE FORWARD FACING FOLDING SEATS.

DRIVER'S SIDE WHEELCHAIR TIE-DOWN WILL START DIRECTLY BEHIND DRIVERS SEAT.

**Alternative seating configurations must be approved prior to bid submission. **

# 24 Passenger Bus

TIE DOWN LOCATIONS ARE FOLDING SEATS.

